


mc1037/145/A2


CAMBORNE—REDRUTH MINERS' & GENERAL HOSPITAL

(West Cornwall Hospital Management Committee)



OBSTETRIC DEPARTMENT

CLINICAL REPORT
FOR THE YEAR 1949



OSCAR BLACKFORD LTD.
HOSPITAL PRINTING SPECIALISTS
TRURO, CORNWALL

..COMB
..PARTY
Rep
WQ 28
.BC5
C17
1949



22501896115

INDEX

Table

OBSTETRIC REPORT

Page

	Statistical summary	2
	Critical survey	2
1	Associated diseases	5
2	Abortions	8
3	Hyperemesis admitted for treatment	11
4	Cardiac disease	11
5	Pre-eclampsia, essential hypertension and chronic nephritis	12
6	Eclampsia	16
7	Accidental antepartum hæmorrhage	17
8	Placenta prævia	19
9	Hydramnios	20
10	Tumours associated with pregnancy, labour or the puerperium	21
11	Prolonged labour	22
12	Persistent posterior position of the occiput and transverse arrest	24
13	Uncomplicated breech deliveries	25
14	Complicated breech deliveries	26
15	Face and brow presentations	27
16	Transverse and oblique lie	27
17	Multiple pregnancy	28
18	Labour following previous Cæsarean section	29
19	Contracted pelvis	30
20	Failed forceps	31
21	Prolapse and presentation of cord	31
22	Post-partum hæmorrhage	32
23	Manual removal of placenta	36
24	External version before labour	37
25	Surgical induction of labour	38
26	Cæsarean section	40
27	Forceps delivery	41
28	Version in labour	43
29	Embryotomy and craniotomy	43
30	Puerperal pyrexia (genital infection)	44
31	Puerperal pyrexia (extra-genital infection)	47
	Maternal deaths	50

PÆDIATRIC REPORT

32	Stillbirths	52
33	Neonatal deaths	54
34	Premature live-born infants	56
35	Congenital malformations	59
36	Birth trauma	60
37	Neonatal infections	61
38	Other neonatal diseases	64

ABBREVIATIONS

B.	Booked
N.	Non-Booked.
A.	Alive.
D.	Died.
S.B.	Stillbirth.
A.R.M.	Artificial rupture of membranes.
A.P.H.	Antepartum hæmorrhage.
I.M.	Intramuscular injection.
Hb.	Hæmoglobin.

This Report is prepared in accordance with the recommendations
of the
Royal College of Obstetricians and Gynæcologists

SECTION I.—THE OBSTETRIC REPORT

TABLE I

	In-patients		TOTALS
	B.	N.	
Adult patients admitted			1317
Patients delivered in hospital			
Primiparae	447	101	548
Multiparae	457	97	554
Admitted after delivery			
Primiparae	7	7	14
Multiparae	13	9	22
Total patients delivered	924	224	1148
Abortions	12	56	68
Patients transferred	6	0	6
Maternal deaths	1	1	2
Maternal death rate	.1	3.4	3.5
Infants born in hospital	917	202	1119
Infants born before admission	18	18	36
Total infants born	937	220	1155
Infants transferred	2	0	2
Stillbirths	22	14	36
Stillbirth rate	23.9	69.3	31.1
Neonatal deaths	21	17	38
Neonatal death rate	22.9	90.4	33.8
Other Infants Deaths	—	—	—

This report deals with cases discharged from the Maternity Wards of Camborne and Redruth Hospital during 1949. 'False alarms' of labour are excluded. The tables, definitions and abbreviations used throughout are those recommended by the Royal College of Obstetricians and Gynæcologists.

'Booked cases' are those accepted for hospital delivery on account of home conditions and medical grounds, and who have attended antenatal clinics conducted by the hospital staff. 'Non-booked Cases' are all cases admitted at the request of their family practitioners and who have not attended hospital antenatal clinics. On booking for confinement each patient has as routine a chest x-Ray, Wassermann reaction, blood group and Rh typing carried out. Non-booked cases have a Wassermann and blood grouping carried out on admission. All cases with a doubtful Wassermann result are referred direct to the Special Treatment Centre for further investigation. During the year, 17 cases of syphilis were referred to and treated at this centre.

During the year 1,317 women were discharged from the wards. This includes 34 patients (14 primiparae, 20 multiparae) admitted for treatment and later re-admitted for delivery. There were a total of 36 post natal admissions comprised of 15 booked cases

delivered at home and admitted for nursing, and 21 non-booked cases (9 primipara, 12 multipara) admitted for reasons given below :

Prematurity			9 cases
Retained Placenta			6 cases
Erythroblastosis Foetalis			2 cases
Third Degree Tear			2 cases
Eclampsia			1 case
Fits			1 case

During the year, Looe Maternity Home was closed, and patients from the area served are now admitted to the Plymouth hospitals. No cases delivered at Looe now figure in this report.

No cases of puerperal infection were admitted as such. All cases showing a single rise of temperature to 100°F., or in whom a rise of 99.4°F. occurs on two successive days, have a high vaginal swab and catheter specimen of urine examined bacteriologically. Only those cases conforming to the Ministry of Health standards are tabulated in the report.

The following table gives a summary of the methods of delivery.

TABLE II

METHODS OF DELIVERY		Booked		Non-Booked		Total	
		P.	M.	P.	M.	P.	M.
Spont. occ. ant.	86.3%	424	432	84	85	508	517
Spont. occ. post.	.42%	4	1	—	—	4	1
Breech delivery	3.54%	12	14	9	7	21	21
Twins	1.51%	5	7	1	5	6	12
Triplets	.09%	1	—	—	—	1	—
Forceps delivery	6.49%	36	8	26	7	62	15
Cæsarean Section	1.09%	1	5	6	1	7	6
Transverse Presentation	.09%	—	1	—	—	—	1
Face delivery	.33%	2	—	1	1	3	1
Brow delivery	.09%	1	—	—	—	1	—
		486	468	127	106	613	574
Abortions		3	9	14	42	17	51

Abortions, while still treated in the Gynæological Ward of the Hospital, are now included in the above table.

Cases of antepartum hæmorrhage are admitted to the wards and remain in hospital until delivery. Apart from speculum examination of the cervix, no vaginal examination is carried out unless the bleeding recurs repeatedly or is of such degree to necessitate operative treatment.

Cases in whom the blood pressure rises above 150mm. systolic are admitted for investigation ; but those with lower B.P. and other signs of toxæmia are also admitted for treatment.

All breech presentations are if possible turned at the A.N.C's on diagnosis and if beyond 30 weeks. Only those in which attempted version has been unsuccessful are admitted to the wards for version under general anæsthesia.

Of the two maternal deaths, one occurred in a booked case from hæmolytic anæmia, after her transfer to the Medical Wards. The other, a non-booked case, died from intraventricular hæmorrhage following a toxic antepartum hæmorrhage.

N. NOBLE,
Senior Obstet. Registrar.

TABLE 1.—ASSOCIATED DISEASES AND CONDITIONS NOT DETAILED ELSEWHERE

B. or N.	Reg. No.	Age	Previous Pregnancies		Disease or Condition	Treatment	Result		Remarks
			Before 28 weeks	After 28 weeks			M.	C.	
B	22463	25	1	0	Pyelitis	Sulphonamides	A	A	Readmitted
B	16801	32	0	2	Lumbar Pain	Investigation	A	A	Readmitted
B	26065	27	0	2	Threatened abortion	Sedatives	A	A	Readmitted
B	3828	33	1	8	Syphilis	Penicillin	A	A	Abortion
B	6739	26	1	0	Tubercular Pyonephrosis	Nephrectomy (L)	A	—	Readmitted for delivery
B	29697	27	0	1	Pleurisy	Investigation	A	A	
B	28052	23	0	1	Syphilis	Penicillin	A	A	
N	29804	20	0	0	Epilepsy	Sedatives	A	A	Post natal onset
N	29390	23	0	0	Ischio-rectal abscess	Sulphonamides, incision	A	A	Forceps
B	4643	25	0	1	Old Nephrectomy	Nil	A	A	Pre-eclampsia
N	13545	21	0	1	Pyelitis	Sulphonamides	A	A	Delivered May 26th
N	29869	20	0	0	Pneumonia	Chemo therapy	A	A	Delivered June 29th
B	30010	24	0	0	Syphilis	Penicillin 6m. units	A	SB	Macerated
B	30355	21	0	0	Syphilis	Penicillin	A	A	P.P.H.
N	11195	36	0	4	Abdominal pain	Investigation	T	—	Home delivery
B	13545	22	0	1	Pyelitis	Sulphonamides	A	A	
B	30862	21	0	0	Haematuria	Investigation	A	A	Readmitted for delivery
B	18577	20	0	2	Old poliomyelitis	Exercises	A	D	Delivered September 5th
B	9075	26	0	1	Puerperal mania	Sedatives	T	A	Breech delivery
B	31059	30	0	4	Varicose veins of vulva	Rest	A	A	Certified
B	30961	30	0	2	Asthma	Adrenalin. Rest	A	A	Morbid
N	31072	35	2	1	Degeneration of fibroid	Morphia	A	A	Delivered May 19th
B	30917	23	0	2	Pyelitis	Sulphonamides	A	A	Delivered August 27th
B	30233	26	1	0	Pulmonary T.B. (old)	Rest	A	A	Forceps
B	31059	30	0	4	Varicose veins of vulva	Rest	A	A	Morbid
B	10164	40	1	2	Epilepsy	Sedatives	A	A	
B	31126	33	0	2	Threatened abortion	Sedatives	A	A	Readmitted
B	31139	27	0	1	Syphilis	Penicillin	A	A	

TABLE 1.—ASSOCIATED DISEASES AND CONDITIONS NOT DETAILED ELSEWHERE (Continued)

B	29854	21	0	0	0	Syphilis	Penicillin	A	A	Congenital malformation
B	31149	31	0	0	2	Epilepsy	Sedatives	A	A	
B	29578	25	0	0	0	Pulmonary T.B.	Rest	T	A	
B	31114	23	0	0	0	Pulmonary T.B.	Artificial pneumothorax	A	A	
B	16801	32	0	0	2	Microcytic anæmia	Iron, Blood transfusion 3 pints	A	A	Pre-eclampsia
B	28753	22	0	0	0	Syphilis	Penicillin	A	A	
B	30962	42	0	0	5	Diabetes	Stabilization. Surgical induction	A	A	Eclampsia
B	31254	29	0	0	1	Syphilis	N.A.B. and bismuth	A	A	
N	31256	38	0	0	4	Prolapse uteri	Pessary	A	A	
N	31287	24	0	0	0	Hæmatemesis	Investigation	A	A	Investigations : negative
N	26471	26	0	0	1	Pulmonary T.B.	Investigation	A	A	14/52 Pregnant
N	31258	42	0	0	0	Hemiplegia	Rest	A	—	Cæsarean section
N	31151	34	1	1	1	Anæmia	Blood transfusion	A	A	Hæmoglobin 50%
N	17379	29	1	1	2	Bronchiectasis	Postural drainage	A	A	
N	31336	40	0	0	5	Anæmia	Intravenous iron	A	A	
N	32404	38	0	0	6	Retroverted gravid uterus	Re-position	A	—	Toxæmia
B	32245	22	0	0	0	Syphilis	Penicillin	A	A	For home delivery
B	32032	36	0	0	1	Microcytic anæmia	Iron	A	ND	Pre-eclampsia
B	32241	27	0	0	0	Pyelitis	Sulphatriad	A	—	Previous Cæsarean
B	29981	20	0	0	0	Old osteomyelitis (thigh)	Nil	A	—	Self-discharged
B	32526	40	0	0	0	Syphilis	Penicillin	A	A	Readmitted, delivered
N	32905	23	0	0	2	Abdominal pain	Investigation	A	A	15/8/49
N	32216	39	0	0	1	Pyelitis of pregnancy	Sulphatriad	T	—	Pre-eclampsia
B	30234	29	0	0	1	Pulmonary T.B. Thoracoplasty	Rest	A	A	For home delivery
B	28990	24	0	0	0	Pulmonary T.B.	Rest	T	A	
B	32839	19	0	0	0	Poliomyelitis (old)	Exercises	A	A	
B	29980	21	0	0	0	Syphilis	Penicillin	A	A	Morbid
B	33004	18	0	0	0	Chronic otitis externa	Local	A	A	Forceps
N	15252	31	0	0	4	Threatened abortion	Blood transfusion	A	A	Prematurity
B	16454	40	0	0	3	Anæmia	Iron	A	D	Delivered Sept., A.P.H.
										Breech, prematurity
										Hæmoglobin rose from
										32% to 68%

TABLE 1.—ASSOCIATED DISEASES AND CONDITIONS NOT DETAILED ELSEWHERE (Continued)

B	32493	22	0	0	Syphilis	Penicillin	A	NB	Readmitted
B	33216	34	0	6	Syphilis	Penicillin	A	A	Delivered September
B	33221	34	0	0	Syphilis	Penicillin	A	SB	Macerated
B	30951	24	0	2	Diabetes	Stabilization	A	A	Surgical induction
B	33358	35	0	2	Syphilis	Penicillin	A	A	C.S., October
B	22478	31	0	2	Pyelitis	Sulphonamides	A	ND	Surgical induction
B	32389	21	0	0	Œdema of vulva	Rest	A	A	Forceps
B	32493	22	0	0	Syphilis	Penicillin	A	A	Readmitted, delivered
B	15109	25	0	3	Abdominal pains	Investigation	A	ND	November
N	26447	21	0	2	Fits	Sedatives	A	A	Post natal admission
B	30954	21	1	1	Uterus bicornis bicollis	Nil	A	A	Breech delivery
N	32737	23	0	0	Syphilis	Penicillin	A	A	Morbid
B	34279	29	0	1	Dysuria	Investigation	A	—	For home delivery
N	34097	34	0	2	Double uterus	Nil	A	A	
N	35249	24	0	0	Cerebral hæmorrhage	Nil	D	—	Undelivered. Pre-eclampsia
B	27684	19	0	1	Anæmia	Blood transfusion	A	A	Post natal admission
N	34424	30	0	0	Red degeneration multiple fibroids	Myomectomy	A	ND	Readmitted for delivery
B	29850	32	0	0	Pulmonary tuberculosis	Rest	A	A	April 1950
N	34652	23	0	0	Pyelitis	Sulphatriad	T	ND	Multiple pregnancy
N	25078	36	0	2	Hæmaturia	Investigation	A	A	For home delivery
B	8879	31	0	1	Pyelitis	Sulphatriad	A	A	Cæsarean section
B	32393	37	0	0	Nephrectomy	citrates	A	A	
B	27886	25	0	1	Epilepsy	Rest	A	A	Pre-eclampsia
B	15984	25	0	4	Pyelitis	Sedatives	A	A	
B	28035	24	0	0	Pulmonary T.B.	Sulphonamides	A	ND	Readmitted, delivered
B	35289	33	0	2	Pyelitis	Blood transfusion	T	A	February
B	34653	21	0	0	Pulmonary T.B.	Rest, phrenic crush	A	ND	Readmitted, delivered
B	32108	38	0	1	Erythema multiforme	Sulphatriad	A	A	January
N	13943	36	0	1	Microcytic anæmia	Rest	T	A	P.P.H.
B	34172	32	0	0	Pulmonary T.B.	Sedative, lotions	A	A	Pre-eclampsia
						Blood transfusion	A	A	
						Rest	A	A	

TABLE 2.—ABORTION (Expulsion of products of conception before completion of the 28th week of pregnancy)

B. or N.	Reg. No.	Age	Previous Pregnancies		Maturity in weeks	If induced : indication and method	If spontaneous : cause (if known) and treatment	Result	Morbidity	Remarks
			Before 28 weeks	After 28 weeks						
N	4109	27	1	3	8	—	Unknown. Ergot.	A	No	5 pints
N	29322	30	0	5	22	—	Placenta prævia	A	No	
N	29584	34	1	3	10	—	Blood transfusion			
						—	Unknown. Ergot.	A	No	Thrombosis L. saph. vein
B	29507	32	2	1	26	—	Unknown. Blood transfusion	T	Yes	Sub-acute hæmolytic anæmia. Died
B	29325	22	0	0	26	—	Unknown. Morphia	A	No	Twin pregnancy
N	29300	23	0	0	12	—	Unknown. Morphia	A	No	
B	6739	26	1	0	26	—	Nephrectomy	A	Yes	
N	29800	27	0	2	12	—	Unknown. Ergot.	A	No	
						—	Pitocin. Blood transfusion, 4 pts			
N	27027	18	1	0	10	—	Unknown. Ergot.	A	No	
N	29962	30	1	0	11	—	Blood trans., 3 pts	A	No	
N	29988	21	0	0	12	—	Unknown. Ergot.			
						—	Blood trans., 3 pts	A	No	
N	29936	32	0	1	15	—	Unknown. Pitocin.	A	No	
N	29873	28	0	1	13	—	Morphia			
						—	Unknown. Pitocin.	A	No	
N	30301	35	1	2	10	—	Blood trans., 3 pts	A	No	
N	30348	21	0	0	12	—	Hydatidiform Mole	A	No	
N	30462	30	0	1	10	—	D. and C.			
N	30494	32	0	2	12	—	Unknown. Pitocin	A	No	
						—	Unknown. Pitocin	A	No	
						—	Unknown. Pitocin	A	No	
						—	Ergot.	A	No	Admitted as incomplete abortion
N	30589	26	1	1	10	—	Unknown. D. & C.	A	No	Blood trans., 1 pt.
						—	Retroversion replaced			
N	30614	29	0	1	8	—	Unknown. D. & C.	A	No	
B	30707	30	4	0	24	—	Unknown	A	No	

TABLE 2.—ABORTION (Expulsion of products of conception before completion of the 28th week of pregnancy)—continued

B	24705	24	0	3	26	—	Unknown. Rest	A	No	Large cervical erosion
B	30743	37	1	0	26	—	Fibroids. Rest Morphia	A	No	Missed abortion.
N	22576	32	0	3	27	—	Unknown. Rest.	A	No	Threatened abortion
N	30963	27	0	1	12	Hyperemesis gravidarum Evacuation of uterus	—	A	No	
N	30964	29	0	0	12	—	Unknown. Pitocin. Evacuation	A	No	
N	11653	34	0	0	10	—	Unknown. Pitocin			
N	31084	18	0	0	18	—	Unknown. Pitocin & Morphia	A	No	Twin pregnancy
N	31269	40	1	5	20	—	Unknown. Evacuation	A	No	
N	24495	20	0	1	10	—	Unknown. Morphia	A	No	
N	31143	32	0	1	10	—	Unknown. Blood	A	No	
N	19839	35	1	2	12	—	trans. Evacuation	A	No	
B	31316	25	0	0	26	—	Unknown. Blood			
N	32113	36	0	3	2	—	trans. Evacuation Hydatidiform Mole. Pitocin	A	No	
N	32052	34	1	3	8	—	Rupture of tube	A	Yes	Ectopic. Pelvic hæmatocele
N	19652	44	1	6	20	—	Unknown. Evac. Blood trans, 2 pts	A	Yes	
N	32048	24	0	0	13	—	Unknown. Evac. Blood trans			
N	31323	29	1	0	12	—	Morphia	A	No	
N	32425	28	1	2	18	—	Unknown. Ergot- metrine	A	No	
N	32402	26	0	0	10	—	Unknown. Pitocin. Evacuation	A	No	
N	33313	30	0	3	24	—	Unknown	A	No	
N	32613	31	0	0	9	—	Unknown. Morphia	A	No	
N	33215	24	0	0	12	—	Unknown. Blood transfusion	A	No	
B	33056	31	1	3	22	—	Unknown. Pitocin. Morphia	A	Yes	Twin pregnancy

TABLE 2.—ABORTION (Expulsion of products of conception before completion of the 28th week of pregnancy)—continued

B	4668	36	0	1	20	—	Unknown. Pitocin	A	No	Hypertension
N	33148	28	0	4	12	—	Unknown. D & C. transfusion	A	No	
N	33060	20	0	0	18	—	Hydatidiform Mole. Evacuation	A	No	
N	6896	32	0	1	8	—	Unknown	A	No	
N	33598	37	1	0	10	—	Unknown	A	No	
N	33812	27	1	1	14	—	Unknown. Evac. Blood transfusion	A	No	
N	33828	20	0	0	14	—	Unknown	A	No	
N	33543	24	0	1	12	—	Unknown. Blood transfusion	A	No	
B	15332	36	6	0	11	—	Unknown. Morphia Rest	A	No	
B	24787	33	0	1	17	—	Unknown. Morphia	A	No	
N	33757	21	0	0	12	—	Unknown. Evac.	A	No	Blood transfusion
N	34107	41	1	3	22	—	Unknown. Morphia	A	No	
N	34261	23	0	1	12	—	Unknown. Evac. Blood trans	A	No	
N	34109	36	1	2	8	—	Unknown. Ergomet- rine. Blood trans	A	No	
N	34184	30	0	2	12	—	Unknown. Evac. Blood trans	A	No	
N	11449	33	1	5	12	—	Unknown. Evac. Blood trans	A	No	
N	33879	38	1	3	12	—	Unknown. Morphia. Blood trans	A	No	
N	34558	32	0	0	11	—	Unknown. Ergot	A	No	
N	34412	38	0	0	15	—	Unknown. Ergomet- rine. Evacuation	A	No	
N	26625	27	1	1	10	—	Ectopic. Salpingectomy	A	No	
N	7918	31	1	2	9	—	Unknown. Ergomet- rine	A	No	
N	34905	24	0	1	13	—	Unknown. Evac.	A	No	
N	34816	24	0	1	15	—	Unknown. Evac.	A	No	
N	35135	31	0	3	18	—	Unknown. Blood transfusion	A	No	
N	35000	27	0	4	18	—	Unknown. Ergot. Morphia	A	No	

TABLE 3.—HYPEREMESIS ADMITTED FOR TREATMENT

B. or N.	Reg. No.	Age	Previous Pregnancies		Maturity on admission	Treatment	Result		Remarks
			Before 28 weeks	After 28 weeks			M.	C.	
B	29990	21	0	1	40	Fluids	A	A	
N	30963	27	0	1	12	Termination of pregnancy	A	—	
N	31338	19	0	1	14	I.V. glucose	A	—	
N	32321	20	0	0	22	Diet	A	—	
N	9955	26	1	2	6	Replacement of retroverted uterus	A	—	
N	34308	36	0	1	37	Intravenous glucose saline	A	A	

TABLE 4.—CARDIAC DISEASE

B. or N.	Reg. No.	Age	Previous Pregnancies		Maturity	Lesion	Degree of failure of compensation (Class 1, 2, 3 or 4. N.Y. Heart Assoc. 1939)		Method of delivery	Result		If steril- ized	Remarks
			Before 28 weeks	After 28 weeks			On admission	At delivery		M.	C.		
N	29805	27	0	1	36	Hypertension. Left Ventricular failure	None	3	Normal	A	S.B. A.	No	Pre-eclampsia
B	24172	23	0	1	40	Mitral stenosis	1	1	Normal	A	A	No	
N	31924	26	0	0	37	Mitral stenosis	1	1	Normal	A	A	No	A.P.H.

TABLE 5.—PRE-ECLAMPSIA, ESSENTIAL HYPERTENSION AND CHRONIC NEPHRITIS

B. or N.	Reg. No.	Age	Previous Pregnancies		Maturity			Oedema	Highest blood pressure	No. of days in bed before labour	If labour induced state method	Method of delivery	Result		Weight of child	Remarks
			Before 28 wks	After 28 wks	On admission	At delivery	Maximum	On discharge					M.	C.		
B	29111	34	0	0	40	40	None	None	Moderate	158/104	No	Normal	A	A	7lb. 3oz.	P.P.H., manual removal of placenta
B	28755	32	0	0	40	40	None	None	Slight	170/90	No	Normal	A	A	10lb. 0oz.	Morbid
B	9137	28	0	2	40	40	None	None	Slight	160/80	No	Normal	A	A	5lb. 0oz.	Essential hypertension
B	27792	24	0	0	39	40	Trace	None	Moderate	168/100	No	Normal	A	A	5lb. 0oz.	
N	29224	28	0	0	39	39	None	None	None	180/120	No	Low forceps	A	A	5lb. 15oz.	
N	29077	23	0	0	37	40	2.5%	Trace	None	152/100	No	Normal	A	A	7lb. 4oz.	
N	29331	39	0	3	36	37	Cloud	None	Moderate	178/118	No	Normal	A	A	7lb. 15oz.	Morbid
N	29290	26	0	0	37	39	3%	None	Moderate	156/106	No	1st Vertex 2nd breech	A	A	5lb. 6oz.	Twin pregnancy
N	29446	27	0	0	39	39	Cloud	None	None	150/102	No	Normal	A	A	5lb. 8oz.	Morbid
N	29081	23	0	0	32	34	5%	None	Moderate	180/130	No	Normal	A	A	5lb. 9oz.	
B	29204	34	0	3	40	40	None	None	Slight	175/110	No	Normal	A	A	8lb. 14oz.	Post natal admission
B	4643	25	0	1	40	40	Cloud	Cloud	None	140/84	No	Normal	A	A	6lb. 1oz.	Previous nephrectomy
B	29445	27	0	0	38	40	None	None	Slight	160/110	No	Normal	A	A	7lb. 8oz.	
N	29586	27	0	2	36	37	.5%	None	Slight	170/120	No	Normal	A	A	6lb. 5oz.	
N	29935	24	0	0	36	36	None	None	Slight	116/100	No	Normal	A	A	2lb. 12oz.	Prematurity
N	29447	33	0	1	32	36	1%	None	Slight	180/128	S & M	Normal	A	D	3lb. 15oz.	Birth trauma
B	23111	24	0	0	39	39	None	None	Moderate	152/100	No	Normal	A	A	8lb. 6oz.	Nephritis 10 yrs age
B	29316	38	0	4	37	39	1%	None	None	164/96	No	Normal	A	A	6lb. 1oz.	
B	27917	26	0	1	40	40	1%	None	Slight	156/96	Medical	Normal	A	A	9lb. 4oz.	
B	29690	33	0	1	37	40	None	None	Slight	160/100	No	Normal	A	A	5lb. 15oz.	Prolonged labour
B	9520	22	0	0	40	40	None	None	None	152/100	No	Normal	A	A	7lb. 10oz.	P.P.H.
B	30343	36	0	7	38	39	1%	None	Moderate	160/100	M & S	Normal	A	A	9lb. 5oz.	
B	28532	23	0	0	38	40	1%	None	Slight	150/100	—	Normal	A	A	6lb. 3oz.	
B	28531	25	0	0	40	—	None	None	None	175/100	—	Undelivered	A	A	—	
B	30008	22	0	0	40	40	None	None	None	156/94	—	Normal	A	A	8lb. 8oz.	
B	10937	35	0	1	39	39	None	None	Slight	168/104	—	Normal	A	A	8lb. 4oz.	
N	30458	23	0	0	38	39	1.5%	None	Slight	154/100	Medical	Normal	A	A	6lb. 9oz.	
N	14447	19	0	0	37	39	4.5%	None	Severe	162/120	—	Breech (1) Breech (2)	A	A	6lb. 7oz. 6lb. 5oz.	Manual removal of placenta

TABLE 5.—PRE-ECLAMPSIA, ESSENTIAL HYPERTENSION AND CHRONIC NEPHRITIS (Continued)

N	29806	23	0	0	0	36	3%	None	Slight	180/120	22	—	Forceps	A	A	3lb. 13oz.	Prolapsed cord
N	29392	18	0	0	0	40	5%	None	Slight	158/118	15	—	Normal	A	A	4lb. 11oz.	Left ventricular failure
N	29805	27	0	1	34	35	11%	None	Moderate	210/110	8	Surgical	Normal	A	SB	4lb. 5oz.	Hydramnios
B	30619	42	0	0	37	38	1.5%	None	Moderate	168/98	4	—	Forceps	A	A	6lb. 0oz.	
B	30680	18	0	0	40	40	Trace	1%	Slight	160/110	0	—	Normal	A	A	9lb. 1 oz.	
B	27570	34	0	0	40	40	1%	None	None	180/120	4	Medical	Normal	A	A	6lb. 10oz.	
B	15942	36	0	1	36	37	.5%	None	Slight	180/132	7	—	Normal	A	SB	6lb. 14oz.	Birth injury
B	28519	23	0	0	34	37	2.5%	.5%	None	180/100	23	Medical	Normal	A	SB	4lb. 7oz.	Intra-uterine death
B	27569	29	1	1	34	37	None	None	Nil	220/142	26	Surgical	Normal	A	A	5lb. 2oz.	macerated
B	28943	27	0	0	37	40	None	None	Slight	160/100	32	Medical	Normal	A	A	7lb. 7oz.	Ophthalmia neo-natorum
B	30949	34	1	0	33	35	2%	None	Slight	162/90	18	Medical	Normal	A	SB	—	Macerated
B	30233	26	1	0	39	40	.5%	None	Slight	160/100	7	—	Forceps	A	A	6lb. 12oz.	
B	31069	30	1	1	40	40	1%	None	Slight	176/98	7	—	Normal	A	A	5lb. 0oz.	
B	28181	24	0	0	37	40	1.5%	None	Moderate	156/98	21	—	Normal	A	A	7lb. 7oz.	
B	31059	30	0	4	40	40	None	None	None	160/80	7	—	Normal	A	A	9lb. 1oz.	Morbid
B	28034	32	0	1	38	40	1%	None	Slight	150/90	23	—	Normal	A	A	7lb. 15oz.	P.P.H.
B	31106	36	0	0	40	40	1%	None	Slight	168/104	10	—	Forceps	A	A	8lb. 4oz.	
B	31071	35	0	2	38	40	.5%	None	Slight	180/106	14	—	Normal	A	A	8lb 7oz.	Ophthalmia neo-natorum
N	25138	33	0	0	35	40	5%	None	Slight	140/90	38	M & S	Normal	A	A	7lb. 15oz.	
N	31135	38	0	0	37	37	3%	None	Slight	160/110	1	—	Cæsarean section	A	A	5lb. 9oz.	
B	28858	38	0	0	36	36	Trace	None	Slight	190/150	2	Surgical	Forceps	A	A	5lb. 5oz.	P.O.P.
B	16801	32	0	2	37	38	None	None	Moderate	160/80	10	—	Normal	A	A	5lb. 7oz.	Anæmia
B	31166	38	0	0	40	40	None	None	Slight	160/100	2	—	Forceps	A	A	8lb. 6oz.	
B	31213	33	0	0	37	37	None	None	Nil	160/110	3	—	Forceps	A	SB	7lb. 0oz.	Intranatal death
B	28515	34	0	1	38	40	1%	None	Slight	154/102	24	—	Normal	A	A	9lb. 6oz.	
B	29852	29	0	0	27	31	10%	1%	Slight	198/130	29	Surgical	Breech	A	SB	2lb. 4oz.	
B	31108	29	1	2	37	40	9.5%	None	Moderate	170/124	9	Medical	Normal	A	A	6lb. 5oz.	
B	16979	20	0	0	40	40	6%	None	Slight	168/114	4	Surgical	Normal	A	A	8lb. 6oz.	
N	31225	24	0	1	37	37	1.5%	None	Slight	220/160	3	Surgical	Normal	A	A	5lb. 4oz.	
N	31212	39	0	1	38	39	.5%	None	Moderate	156/108	9	Medical	Forceps	A	A	6lb. 8oz.	P.O.P.
B	21795	28	0	2	37	37	None	None	Slight	220/168	2	—	Normal	A	A	4lb. 10oz.	Twin pregnancy
																4lb. 13oz.	

TABLE 5.—PRE-ECLAMPSIA, ESSENTIAL HYPERTENSION AND CHRONIC NEPHRITIS (Continued)

B	31232	41	0	0	37	38	None	None	Slight	162/120	7	—	(1) R.S.A. (2) L.S.A.	A	A	6lb. 11oz.	P.P.H.
N	31301	24	0	0	40	40	Trace	None	Slight	170/70	0	—	Normal	A	D	7lb. 14oz.	
N	31258	42	0	0	39	40	None	None	Moderate	180/140	6	—	Cesarean section	A	A	6lb. 15oz.	Hemiplegia
N	31268	33	0	6	40	40	Trace	None	Moderate	160/120	4	Medical	Normal	A	A	7lb. 8oz.	
N	31235	23	0	0	39	40	Trace	None	None	170/120	11	—	Normal	A	A	8lb. 4oz.	
B	14721	33	2	0	38	40	None	None	Slight	174/120	17	Medical	Normal	A	A	7lb. 12oz.	
B	31332	28	0	1	39	40	None	None	None	180/106	4	—	Normal	A	A	5lb. 2oz.	
B	31279	25	0	0	38	40	2.5%	0.5%	Slight	168/110	12	Medical	Normal	A	A	6lb. 11oz.	
N	31325	20	0	0	38	40	2.5%	0.5%	None	152/88	12	M & S	Normal	A	A	8lb. 7oz.	
N	32203	18	0	0	40	40	None	None	Slight	150/118	1	—	Normal	A	A	8lb. 0oz.	
N	32194	22	0	0	40	40	1%	None	Slight	170/100	2	—	Normal	A	A	8lb. 14oz.	
B	19113	24	0	0	37	40	None	None	Moderate	172/120	20	Surgical	Forceps	A	A	7lb. 4oz.	
N	31336	40	0	5	39½	40	1%	None	None	164/104	3	—	Normal	A	A	7lb. 4oz.	Anæmia
B	29009	31	1	1	39	40	None	None	None	160/112	5	Medical	Normal	A	A	7lb. 4oz.	
B	32245	22	0	0	40	40	3%	None	Slight	220/118	8	—	Normal	A	A	7lb. 10oz.	Syphilis
B	32424	18	0	0	40	40	None	None	Slight	150/100	4	Medical	Normal	A	A	7lb. 15oz.	
B	32524	21	0	0	35	36	None	None	None	150/96	7	—	Normal	A	A	7lb. 14oz.	Home delivered
N	32345	31	1	0	38	—	Trace	None	Slight	138/88	18	—	Undelivered	A	—	—	Morbid
N	32544	36	0	2	40	40	None	None	Slight	150/90	1	—	Normal	A	A	7lb. 14oz.	
B	30236	25	0	0	40	40	None	None	Slight	164/120	1	—	Normal	A	A	6lb. 2oz.	
B	32049	26	0	1	35	40	None	None	Slight	160/110	40	Medical	Normal	A	A	7lb. 15oz.	
B	32529	23	0	0	38	40	None	None	Slight	160/90	13	—	Normal	A	A	7lb. 2oz.	
B	32526	40	0	0	37	40	None	None	Moderate	170/110	19	—	Normal	A	A	8lb. 5oz.	Syphilis
B	32527	29	0	0	38	40	None	None	Slight	150/110	19	—	Normal	A	A	6lb. 9oz.	
N	32598	38	0	3	40	40	Cloud	None	Moderate	158/110	2	Medical	Normal	A	A	8lb. 5oz.	
N	32599	19	0	0	39	39	Cloud	None	None	150/110	2	Medical	Normal	A	A	7lb. 3oz.	
B	32418	23	0	0	36	38	.5%	None	Slight	180/116	15	—	Forceps	A	A	8lb. 4oz.	
N	32699	34	0	2	35	35	Solid	None	Moderate	248/150	2	Surgical	Normal	A	A	5lb. 6oz.	
B	22623	36	0	1	36	39	None	None	Slight	164/110	8	—	Normal	A	A	6lb. 8oz.	A.P.H.
N	33042	28	0	0	40	40	2%	None	Slight	140/90	3	—	Forceps	A	A	9lb. 2oz.	Deep transverse arrest
N	32726	24	0	0	39	40	Trace	None	Moderate	154/110	22	Medical	Forceps	A	A	6lb. 12oz.	P.O.P.
N	32962	29	0	0	40	40	1%	None	Moderate	142/104	9	—	Normal	A	A	9lb. 10oz.	Morbid
B	30859	34	0	0	38	39	None	None	Slight	160/118	11	Medical	Forceps	A	A	6lb. 8oz.	P.P.H.
B	33315	23	0	0	40	40	.5%	None	Moderate	150/116	5	Surgical	Normal	A	A	7lb. 4oz.	
N	33395	32	0	3	37	40	None	None	None	168/106	19	—	Normal	A	A	7lb. 13oz.	

TABLE 5.—PRE-ECLAMPSIA, ESSENTIAL HYPERTENSION AND CHRONIC NEPHRITIS (Continued)

B	33634	20	0	0	22	—	None	None	None	None	168/100	16	—	—	A	—	—	Delivered December Eclampsia
B	33312	28	0	1	38	40	None	None	None	None	164/120	10	—	Normal	A	A	8lb. 12oz.	
B	30858	22	0	0	35	39	None	None	None	Moderate	158/100	29	—	Normal	A	A	7lb. 10oz.	
B	26864	34	0	1	34	34	None	None	None	Slight	204/110	4	—	Normal	A	SB	1lb. 4oz.	
B	15332	36	6	0	8	11	None	None	None	None	160/120	21	No	Normal	A	—	Abortion	
B	33963	37	0	9	40	40	None	None	None	Slight	166/90	4	No	Normal	A	A	Previous caesarean section A.P.H.	
N	34259	24	0	0	38	—	—	—	—	Moderate	174/98	0	No	Undelivered	D	—		
B	32719	27	1	0	38	40	1%	None	None	Moderate	156/100	24	Medical	Normal	A	A	8lb. 13oz.	
B	33900	33	0	6	38	40	None	None	None	Slight	180/110	19	Medical	Breech	A	A	8lb. 1oz.	
B	31039	21	0	0	38	39	2%	None	None	Slight	154/100	10	—	Normal	A	A	7lb. 12oz.	
B	16387	34	0	1	40	40	None	None	None	Moderate	160/110	4	—	Normal	A	A	9lb. 2oz.	
B	31208	21	0	0	40	40	Trace	None	None	Slight	154/110	3	Medical	Normal	A	A	8lb. 10oz.	
B	34113	24	0	0	33	37	1.5%	None	None	Moderate	186/130	30	M & S	Normal	A	A	6lb. 1oz.	
B	33035	28	0	1	40	40	None	None	None	Slight	164/90	8	—	Normal	A	A	8lb. 5oz.	
B	34413	42	0	1	40	40	None	None	None	Slight	160/94	10	—	Normal	A	A	8lb. 0oz.	
B	34307	23	0	0	40	40	1%	None	None	Moderate	170/118	13	Medical	Normal	A	A	8lb. 3oz.	
B	32491	19	0	0	38	38	Trace	None	None	Slight	210/110	1	—	Normal	A	A	6lb. 15oz.	
B	34426	24	0	0	36	38	None	None	None	None	176/110	12	—	Normal	A	A	5lb. 4oz.	
B	33871	18	0	0	36	38	4%	4%	4%	Moderate	154/126	3	—	Forceps	A	D	6lb. 7oz.	
B	33628	29	2	1	33	38	.5%	None	None	Moderate	162/116	43	M & S	Normal	A	A	7lb. 5oz.	
B	21753	40	1	0	35	40	.25%	None	None	None	170/110	33	M & S	Normal	A	A	6lb. 7 oz.	
B	34199	21	0	1	40	40	None	None	None	Slight	150/90	—	—	Normal	A	A	8lb. 12oz.	
B	34425	30	0	2	35	39	None	None	None	Slight	168/100	27	Medical	Normal	A	A	9lb. 5oz.	
N	34556	20	0	0	38	40	2%	None	None	Slight	180/120	21	M & S	Normal	A	A	5lb. 4oz.	
N	34651	28	1	0	40	40	1%	None	None	Slight	180/98	9	—	Forceps	A	A	7lb. 7oz.	
B	34563	18	0	0	37	40	None	None	None	None	160/98	26	—	Normal	A	A	7lb. 15oz.	
B	32393	37	0	0	36	36	2%	None	None	Moderate	150/96	2	—	Normal	A	A	5lb. 14oz.	
N	34295	40	0	0	40	40	None	None	None	Slight	190/120	11	—	Normal	A	A	7lb. 7oz.	
B	32720	24	0	0	36	37	4%	None	None	Moderate	174/122	5	Medical	Normal	A	A	6lb. 5oz.	
N	34416	27	0	0	34	36	4.5%	None	None	Moderate	220/128	15	M & S	Normal	A	A	3lb. 0oz.	
B	32607	28	0	0	40	40	1%	None	None	Slight	180/130	2	Medical	Normal	A	A	7lb. 8oz	
N	35064	25	0	2	32	—	None	None	None	Slight	180/40	10	—	Undelivered	A	—	Self-discharged	
N	34930	22	0	0	38	40	.5%	None	None	Slight	178/90	12	—	Forceps	A	A	6lb. 5oz.	
N	13943	36	0	1	37	37	1%	None	None	Moderate	180/110	1	—	Normal	A	A	7lb. 15oz.	
B	34849	24	0	0	40	40	1%	None	None	Slight	160/90	6	—	Normal	A	A	9lb. 8oz.	
B	5444	29	0	5	—	—	—	—	—	—	—	—	Medical	Normal	A	A	—	
Nephrectomy Neonatal infection Prematurity Self-discharged Anæmia P.P.H.																		

TABLE 6.—ECLAMPSIA

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Condition on admission	If in labour	Fits					Urine			Oedema	Highest blood pressure	No. of days in hospital before delivery	If induced state method	Method of delivery	Result		Remarks
			Before 28 weeks	After 28 weeks				Before Ad-mission	Ante Partum	Intra Partum	Post Partum	Total	Albumin										
													On ad-mission or maximum	On discharge	Quantity in first 24 hours								
N	31062	22	0	0	35	Eclamptic	No	7	8	0	0	8	3.5%	None	3oz.	None	158/104	1	No	Normal	A	A	Premature baby
B	30962	42	0	5	37	Good	No	0	0	0	1	1	2%	None	104oz.	None	230/130	19	Surgical	Normal	A	A	Diabetes
N	31302	33	0	1	28	Fair	No	3	3	0	0	3	9%	Nil	46oz.	Nil	200/156	6	Surgical	Normal	A	D	Prematurity
N	34070	21	0	0	40	Comatose	No	4	0	0	2	6	8%	None	42oz.	None	180/130	0	No	Normal	A	A	Post natal admission
N	7798	28	0	3	38	Conscious	No	2	1	0	0	3	12%	Trace	100z.	Trace	200/130	0	No	Normal	A	A	P.P.H.
B	34590	23	0	0	39	Conscious	Yes	0	0	0	1	1	1%	.25%	500z.	.25%	220/132	0	No	Normal	A	A	Pre-eclampsia
B	33871	18	0	0	40	Comatose poor	Yes	0	0	4	0	4	9%	2%	160z.	2%	170/120	0	No	Forceps	A	D	26th Nov., Self discharged after 2 days. Readmitted in labour

TABLE 7.—ACCIDENTAL ANTEPARTUM HAEMORRHAGE

B or N	Reg. No.	Age	Previous Pregnancies		Maturity			Condition on admission	If in labour	Cause of A.P.H. if known	Treatment	Blood transfusion	Amount of bleeding		Result		Remarks
			Before 28 weeks	After 28 weeks	At 1st haemorrhage	On admission	At delivery						Concealed	Revealed	M.	C.	
B	26928	—	0	0	26	26	40	Good	No	Unknown	Rest	No	—	Slight repeated	A	A	Contracted pelvis
B	27791	—	0	2	38	38	39	Good	No	Unknown	Rest	No	—	Slight repeated	A	A	
N	29735	—	0	1	40	40	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
B	29801	—	0	4	32	32	—	Good	No	Unknown	Rest	No	—	Slight repeated	T	—	
B	29964	—	0	2	39	39	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
B	30240	—	0	0	28	32	35	Good	No	Unknown	Rest, cautery cervical erosion	No	—	Slight repeated	A	A	
B	18099	—	0	3	20	23	30	Good	No	Unknown	Rest, sedatives cautery cervical erosion	No	—	Slight repeated	A	D	Prematurity
B	17979	—	0	2	28	39	39	Good	No	Unknown	Rest	No	—	Slight repeated	A	A	
B	29326	—	0	0	34	34	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	27410	—	0	1	39	39	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	29937	—	0	0	34	34	40	Good	No	Exversion	Rest	No	—	Slight	A	A	
N	30189	—	0	0	36	40	40	Good	No	Unknown	Rest	No	—	Moderate	A	A	
N	30563	—	0	0	39	39	39	Good	Yes	Unknown	Nil	No	—	Slight	A	A	
N	30092	—	0	1	38	38	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	31080	—	0	9	40	40	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	16318	—	0	1	34	34	34	Fair	No	Unknown	Rest, morphia	No	—	Moderate repeated	A	SB	
N	31132	—	0	0	40	40	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	31184	—	0	0	40	40	40	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	31320	—	0	0	38	38	38	Good	Yes	Unknown	Nil	No	—	Slight	A	A	Forceps
N	28991	—	0	1	38	38	38	Fair	No	Unknown	Rest, morphia	Yes	Moderate	Slight	A	SB	
N	32120	—	0	1	38	38	38	Good	No	Unknown	Rest	No	—	Slight	A	A	
N	31924	—	0	0	35	35	35	Good	No	Unknown	Rest	No	—	Slight	A	A	Mitral stenosis
B	16624	—	0	2	40	40	40	Poor	No	Unknown	Rest	Yes	—	Moderate	A	SB	P.P.H.
B	30864	—	0	1	30	30	—	Good	No	Unknown	Rest	No	—	Slight	A	—	Discharged herself at 33rd week
N	32343	—	0	0	40	40	40	Fair	No	Pre-eclampsia pitocin	Morphia	Yes	Moderate	Moderate	A	SB	P.P.H.
B	32694	—	0	0	28	28	28	Fair	No	Unknown	Rest, morphia	Yes	—	Moderate	A	D	Foetus weighed 11lb. 12oz.

TABLE 8.—PLACENTA PRAEVIA

B or N	Reg. No.	Previous Pregnancies		Maturity			Condition on admission	If in lab- our	Type 1, 2, 3, 4	Treatment	Blood trans- fusion	Amount of bleeding	Result		Remarks
		Before 28 weeks	After 28 weeks	At 1st ha- morrhage	On ad- mission	At delivery							M.	C.	
N	29450	0	0	35	35	37	Fair	No	2	Cæsarean section	600z.	Moderate	A	A	Abortion Morbid
N	29322	0	5	21	21	22	Fair	No	3	Sedatives	1000z.	Severe	A	—	
N	34157	0	3	34	40	40	Good	No	3	Cæsarean section— lower segment	1000z.	Severe	A	A	
N	34855	0	2	30	30	30	Good	Yes	4	Spontaneous breech	No	100z.	A	SB	Previous cæsarean section

TABLE 9.—HYDRAMNIOS

B or N	Reg. No.	Age	Previous Pregnancies		Maturity		Treatment	Result		Remarks
			Before 28 weeks	After 28 weeks	On diagnosis	At delivery		M.	C.	
B	13486	28	0	1	34	39	Nil	A	A	Forceps delivery
B	30619	42	0	0	36	38	Nil	A	A	Forceps delivery
N	28992	25	0	0	34	40	Nil	A	A	Twin pregnancy
N	32830	28	0	3	30	30	Nil	A	SB	
N	32811	35	0	1	40	40	A.R.M.	A	D	Congenital abnormality
									D	

TABLE 10.—TUMOURS ASSOCIATED WITH PREGNANCY, LABOUR OR PUERPERIUM

B or N	Reg. No.	Age	Previous Pregnancies		Nature of tumour	Treatment	Result		Remarks
			Before 28 weeks	After 28 weeks			M.	C.	
N	31072	32	1	2	Fibroid	Rest, morphia	A	A	Red degeneration
N	31258	42	0	0	Multiple fibroids	Classical cæsarean section	A	A	
B	29318	38	0	1	Uterine fibroid	Nil	A	A	Normal labour
B	33058	28	0	0	Ovarian dermoid	Pushed above head 2 days before labour removed 3rd day of puerperium	A	A	P.P.H.

TABLE 11.—PROLONGED LABOUR (Arbitrary definition being labour lasting 48 hours or more)

B or N	Reg. No.	Age	Previous Pregnancies		Position of foetus		Other obstetric abnormalities	Cause of delay as diagnosed	Time of rupture of membranes (hours before delivery)	Duration of Labour			Treatment	Method of delivery	P. P. H.	Mor-bidity	Weight of Child	Result	
			Before 28 weeks	After 28 weeks	At onset of labour	At delivery				1st Stage	2nd Stage	3rd Stage						M.	C.
N	29330	37	0	0	R.O.A.	R.O.A.	Nil	Weak pains	2hrs	49½hrs	1½hrs	¼hr	Sedatives	Normal	Nil	Nil	8lb 8oz	A	A
N	29394	27	1	0	L.O.A.	L.O.A.	Nil	Weak pains	14hrs	67hrs	6hrs	½hr	Sedatives	Forceps	Nil	Yes	7lb 11oz	A	A
N	29693	37	0	0	R.O.A.	R.O.A.	Nil	Weak pains	9hrs	52hrs	4hrs	¼hr	Sedatives	Forceps	Nil	Nil	7lb 7oz	A	A
B	28995	18	0	0	L.O.A.	L.O.A.	Nil	Slow dilatation	11hrs	113hrs	1¼hrs	15mins	Sedatives	Normal	No	No	6lb 4oz	A	A
B	29932	22	0	0	R.O.A.	R.O.A.	Nil	Weak pains	5hrs	66hrs	3hrs	20mins	Sedatives	Normal	No	No	8lb 5 oz	A	A
B	27334	23	0	0	R.O.A.	R.O.A.	Nil	Unknown	5½hrs	60hrs	3¼hrs	1½hrs	Sedatives	Forceps	No	No	7lb	A	A
B	26816	32	0	0	L.O.A.	L.O.A.	Nil	Weak pains	6½hrs	65hrs	10mins	10mins	Sedatives	Normal	No	No	7lb 2oz	A	A
N	29803	29	0	1	L.O.L.	L.O.A.	Nil	Weak pains	1hr	52hrs	20mins	25mins	Sedatives	Normal	No	No	9lb 10oz	A	A
B	29690	33	0	1	R.O.A.	R.O.A.	Pre-eclampsia	Weak pains	38hrs	49hrs	1hr	10mins	Sedatives	Normal	No	No	5lb 15oz	A	A
N	30112	28	0	0	L.O.A.	L.O.A.	Contracted Pelvis	Unknown	85hrs	97hrs	—	—	Sedatives	Cæsarean section	No	No	6lb 2oz	A	A
B	27334	23	0	0	R.O.A.	R.O.A.	Nil	Slow dilatation of cervix	6hrs	60hrs	3¼hrs	1hr	Sedatives	Forceps	Nil	No	7lb	A	A
N	30092	28	0	1	L.O.A.	L.O.A.	A.P.H. 38th week	Irregular pains	10mins	65hrs	5mins	5mins	Sedatives	Normal	No	No	6lb 9oz	A	A
N	30215	38	0	0	R.O.A.	R.O.A.	Nil	Weak pains	19½hrs	72hrs	3¼hrs	2½hrs	Sedatives	Forceps	No	No	8lb 8oz	A	A
B	28992	25	0	0	L.O.A.	R.O.A.	Hydramnios	Weak pains	51hrs	57hr	3hrs	30mins	Sedatives	Forceps	Yes	Yes	9lb 3oz	A	A
B	30809	29	0	0	L.O.A.	L.O.A.	None	Slow dilatation	37hrs	58hrs	4hrs	55mins	Sedatives	Forceps	No	No	9lb 9oz	A	A
B	30233	26	1	0	R.O.A.	L.O.A.	Pre-eclampsia	Slow dilatation	10½hrs	55¾hrs	3½hrs	20mins	Sedatives	Forceps	No	No	6lb 12oz	A	A
B	27467	23	0	0	R.M.A.	R.M.A.	Face presentation	Slow dilatation	5mins	57hrs	50mins	15mins	Sedatives	Spon-taneous	No	No	7lb 15oz	A	A

TABLE 11.—PROLONGED LABOUR (Arbitrary definition being labour lasting 48 hours or more)

N	31105	22	0	0	L.O.P.	L.O.L.	None	Deep transverse arrest	33hrs	5 1½hrs	3¾hrs	15mins	Sedatives	Forceps	No	No	8lb	A	A
B	28633	23	0	0	L.O.A.	L.O.A.	None	Weak irregular pains	1¼hrs	56hrs	½hr	15mins	Sedatives	Normal	No	No	7lb	A	A
N	25162	38	0	0	L.O.A.	L.O.A.	None	Slow dilatation	34hrs	82hrs	3hrs	2mins	Sedatives	Forceps	No	No	7lb 9oz	A	A
B	29115	38	0	2	L.O.A.	L.O.P.	None	Slow dilatation	32hrs	51hrs	—	35mins	Sedatives	Forceps	No	No	8lb	A	A
B	31271	41	0	0	L.O.A.	L.O.A.	None	Weak pains	45 mins	57hrs	15mins	5mins	Sedatives	Normal	No	No	7lb	A	SB
N	21562	38	0	0	R.O.A.	R.O.A.	None	Slow dilatation	32hrs	82hrs	3hrs	25mins	Sedatives	Forceps	No	No	7lb 9oz	A	A
N	32122	24	0	0	L.O.A.	L.O.A.	None	Weak pains	30mins	76½hrs	1¼hrs	10mins	Sedatives	Forceps	No	No	7lb 5oz	A	A
N	31335	22	0	0	L.O.A.	L.O.A.	None	Weak pains	26hrs	49hrs	2hrs	30mins	Sedatives	Forceps	No	Yes	10lb 7oz	A	SB
B	29869	20	0	0	R.O.A.	R.O.A.	Nil	Weak pains	Unknown	111hrs	40mins	25mins	Sedatives	Forceps	No	No	8lb 3oz	A	A
B	32553	33	0	0	R.O.A.	R.O.A.	Nil	Unknown	21hrs	48hrs	1½hrs	15mins	Sedatives	Normal	No	No	6lb 8oz	A	SB
B	29481	24	1	0	L.O.A.	L.O.A.	Nil	Weak pains	4hrs	55hrs	2½hrs	20mins	Sedatives	Normal	Yes	No	8lb 8oz	A	A
N	32836	26	0	1	L.O.A.	L.O.A.	A.P.H.	Weak pains	30mins	60hrs	20mins	15mins	Sedatives	Normal	No	No	4lb 3oz	A	A
N	32903	36	0	0	R.S.A.	R.S.A.	Generally contracted pelvis	Slow dilatation	—	95hrs	—	—	Sedation	L.S. caesarean section	No	Yes	5lb 7oz	A	A
N	33398	21	0	0	L.O.A.	L.O.A.	Nil	Weak pains	7hrs	60hrs	3¾hrs	20mins	Sedatives	Forceps	Yes	No	7lb 9oz	A	A
N	33638	13½	0	0	L.O.A.	L.O.A.	Nil	Slow dilatation	1hr	51¼hrs	1½hrs	20mins	Sedatives	Normal	No	No	8lb	A	A
N	33824	31	0	0	L.O.A.	L.O.A.	Nil	Rigid cervix	76hrs	82hrs	—	—	Sedatives	Caesarean section	No	No	6lb 7oz	A	A
N	34072	21	0	0	L.O.P.	L.O.P.	Nil	Slow dilatation	4hrs	64hrs	3¾hrs	1½hrs	Sedatives	Forceps	No	No	7lb 10oz	A	A
B	22478	31	0	2	L.O.A.	L.O.A.	Contracted pelvis	Weak pains	18¼hrs	69¾hrs	—	—	Caesarean section	Caesarean section	No	No	8lb 12oz	A	A
N	34181	22	0	0	L.O.A.	L.O.A.	Nil	Slow dilatation	14¼hrs	65hrs	2¼hrs	¼hr	Sedatives	Forceps	40oz	No	11lb 8oz	A	SB
N	34309	20	0	0	R.S.A.	R.S.A.	Nil	Weak pains	51hrs	51hrs	1hr	10mins	Sedatives	Breech	No	No	8lb 8oz	A	A
B	16387	34	0	1	R.O.A.	R.O.A.	Nil	Weak pains	0hrs	55½hrs	33mins	10mins	Sedatives	Normal	No	No	9lb 2oz	A	A
N	34711	29	0	0	R.O.A.	R.O.P.	Nil	Slow dilatation	6hrs	60hrs	4hrs	2mins	Sedatives	Forceps	Yes	Yes	8lb 12oz	A	A
N	35030	21	0	0	L.O.A.	L.O.A.	Nil	Weak pains	5hrs	67hrs	1hr	20mins	Sedatives	Normal	24oz	No	6lb 1oz	A	A

TABLE 12.—PERSISTENT POSTERIOR POSITION OF THE OCCIPUT AND TRANSVERSE ARREST

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Position of Occiput	Type of pelvis if known	Treatment	Result		Weight of Child	Remarks
			Before 28 weeks	After 28 weeks					M.	C.		
B	29692	22	0	0	40	L.O.P.	Unknown	Nil	A	A	8lb 4oz	Spontaneous delivery
N	29394	27	1	0	40	P.O.P.	Unknown	Manual rotation forceps	A	A	7lb 11oz	Morbid, failed forceps
N	29366	37	0	0	40	P.O.P.	Unknown	Manual rotation forceps	A	SB	7lb 11oz	Birth Trauma
N	9401	30	0	0	40	Post.	Unknown	Manual rotation forceps	A	A	7lb 15oz	Failed forceps
N	31105	22	0	0	40	Trans.	Normal	Manual rotation forceps	A	A	8lb	Prolonged labour
B	28758	26	0	1	40	Post.	Normal	Spontaneous delivery	A	A	8lb 12oz	Congenital malfor- mations
B	30346	21	0	0	40	Post.	Unknown	Spontaneous delivery	A	A	7 lb 11oz	
B	31106	36	0	0	40	Trans.	Unknown	Manual rotation forceps	A	A	8lb 4oz	Pre-eclampsia
B	28858	38	0	0	37	Post.	Unknown	Forceps, face to pubes	A	A	5lb 5oz	Pre-eclampsia
B	31213	33	0	0	37	Trans.	Unknown	Manual rotations forceps	A	SB	7lb	Death during 1st stage
B	29115	38	0	2	40	L.O.P.	Normal	Manual dilatation rotation forceps	A	A	8lb	Prolonged labour
N	31212	39	0	1	40	Post.	Normal	Manual rotation forceps	A	A	6lb 8 oz	Pre-eclampsia
N	32044	36	0	0	40	Trans.	Normal	Manual rotation forceps	A	A	7lb 10oz	Morbid
N	32122	24	0	0	40	Trans.	Normal	Manual rotation forceps	A	A	7lb 5oz	
B	32258	30	0	4	40	Post.	Normal	Forceps	A	A	7lb 9oz	
B	29728	24	0	0	40	Post.	Unknown	Spontaneous delivery	A	A	5lb 12oz	Perineal tear
N	32551	28	0	0	40	Post.	Normal	Manual rotation forceps	A	A	8lb 7oz	Episiotomy
N	11895	37	0	4	40	Post.	Unknown	Manual rotation forceps	A	A	8lb 12oz	
B	14887	32	0	4	40	Post.	Normal	Manual rotation forceps	A	A	9lb	Perineal tear
B	29980	21	0	0	40	Post.	Unknown	Manual rotation forceps	A	A	7lb 8oz	Syphilis
N	33049	25	0	0	40	Post.	Unknown	Manual rotation forceps	A	A	7lb 15oz	Episiotomy
B	33007	30	0	0	40	Post.	Normal	Manual rotation forceps	A	A	6lb 13oz	Episiotomy
B	30476	21	0	0	38	Trans.	Unknown	Manual rotation forceps	A	A	6lb	Morbid
N	33042	28	0	0	40	Post.	Unknown	Forceps	A	A	9lb 2oz	P.P.H.
N	32726	24	0	0	40	Trans.	Unknown	Manual rotation forceps	A	A	6lbs 12oz	P.P.H.
B	30859	34	0	0	39	Post.	Unknown	Manual rotation forceps	A	A	6lb 8oz	P.P.H.
B	32027	27	1	0	40	Post.	Unknown	Manual rotation forceps	A	A	6lb 14oz	Morbid
N	34072	21	0	0	40	Post.	Unknown	Forceps	A	A	7lb 10oz	Prolonged labour
N	13673	36	0	4	40	Trans.	Unknown	Forceps	A	A	8lb 15oz	
B	34266	38	0	0	40	Post.	Normal	Manual rotation forceps	A	A	7lb 10oz	Episiotomy
N	34650	22	0	0	40	Post.	Android	Manual rotation forceps	A	A	7lb 7oz	P.P.H.
N	34717	24	0	0	40	Post.	Normal	Manual rotation forceps	A	A	8lb 1oz	
B	29850	32	0	0	34	Post.	Normal	Spontaneous delivery	A	A	2lb 6 oz	Multiple pregnancy
B	34711	29	0	0	40	Post.	Normal	Forceps	A	A	8lb 12oz	Prolonged labour
N	34651	28	1	0	40	Post.	Normal	Manual rotation forceps	A	A	7lb 7oz	Pre-eclampsia
N	35101	32	0	0	40	Trans.	Normal	Manual rotation forceps	A	A	6lb 11oz	Blood transfusion P.P.H.

TABLE 13.—UNCOMPLICATED BREECH DELIVERIES (i.e. without other obstetric abnormality. Includes cases with extended limbs)

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Legs flexed or extended	Method of delivery	Result		Weight of Child	Episiotomy or tear	Remarks
			Before 28 weeks	After 28 weeks				M.	C.			
B	29933	22	2	0	39	Extended	Spontaneous	A	A	6lb 5oz	Episiotomy	Congenital malformation P.P.H.
N	29934	19	0	0	38	Extended	Spontaneous	A	A	6lb	Episiotomy	
N	30117	22	0	0	36	Extended	M.S.V.	A	D	5lb 10oz	Episiotomy	
N	30674	25	0	0	40	Extended	Legs and arms brought down, M.S.V.	A	A	7lb 8oz	Episiotomy	
B	18577	20	0	2	32	Unknown	Spontaneous	A	D	3lb 7oz	Episiotomy	Morbid
B	30493	21	0	0	40	Extended	Spontaneous M.S.V.	A	A	7lb 2oz	Episiotomy	
B	30978	34	0	0	40	Extended	Spontaneous M.S.V.	A	A	6lb 6oz	Episiotomy	
B	30087	20	0	0	40	Extended	Head M.S.V.	A	A	6lb 10oz	Episiotomy	
N	32114	21	0	0	39	Extended	Prague	A	A	6lb 6oz	Tear	Congenital Abnormality P.P.H. External version
N	32187	25	0	0	40	Extended	Head M.S.V.	A	A	8lb 2oz	Episiotomy	
B	31089	25	0	2	40	Extended	Head M.S.V.	A	A	8lb 1oz	No	
B	33000	20	0	0	38	Flexed	M.S.V.	A	D	6lb 1oz	Episiotomy	
B	24680	30	0	1	40	Extended	M.S.V.	A	A	6lb 12oz	No	Congenital Abnormality P.P.H. External version
B	33943	27	0	0	40	Extended	Spontaneous	A	A	7lb 7oz	Episiotomy	
B	33979	29	0	0	40	Extended	Arms brought down Head M.S.V.	A	D	7lb 13oz	Episiotomy	
B	16446	39	0	3	40	Extended	Head M.S.V.	A	A	7lb	No	

TABLE 14.—COMPLICATED BREECH DELIVERIES (excluding breech by version in labour)

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Obstetric Complication	Treatment	Result		Weight of Child	Episiotomy or tear	Remarks
			Before 28 weeks	After 28 weeks				M.	C.			
B	29295	27	0	I	34	Prematurity	Nil	A	A	4lb	No	Manual removal of placenta
B	27920	24	0	I	40	{ 1st twin 2nd twin	Nil	A	A	6lb	No	
B	29589	37	3	I	36	Prematurity	Nil	A	A	4lb 8oz	No	
N	29290	26	0	0	39	2nd twin	Nil	A	A	4lb 15oz	Tear	
N	14447	19	0	0	38	{ Twin pregnancy Pre-eclampsia	Nil	A	A	5lb 8oz	No	
						Arms and legs brought down Heads M.S.V.		A	A	6lb 7oz	Tear	
B	30744	28	0	0	38	{ Twins, extended legs, 2nd twin extended arms	Arms and legs brought down M.S.V.	A	A	6lb 4oz 5lb	Episiotomy	Head retained by undilated cervix
B	29852	29	0	0	32	Pre-eclampsia	Surgical induction Head M.S.V.	A	SB	2lb 4oz	No	
B	31232	41	0	0	38	{ Pre-eclampsia Twin pregnancy	Sedatives. Rest Arms and legs brought down	A	A	6lb 11oz } 7lb 14oz }	No	
N	31923	34	0	4	29	Premature lab.	Nil	A	D	2lb 4oz	No	P.P.H. Second Twin Second of twins
B	32193	33	0	2	40	Twin pregnancy	Head M.S.V.	A	A	7lb 2oz	No	
N	32830	28	0	3	30	Twins hydramnios	Nil	A	D	2lb 7oz	No	
N	32697	24	0	2	40	Twins	Nil	A	A	5lb 6oz	No	Second of twins P.P.H. P.P.H. Congenital abnormality
B	32725	25	0	2	37	A.P.H.	Nil	A	D	3lb 5oz	No	
N	33008	38	2	6	40	A.P.H.	Nil	A	A	7lb 7oz	No	
N	15252	31	0	4	28	A.P.H.	Nil	A	D	2 lb 8oz	No	
B	30954	21	1	1	40	Double Uterus	Nil	A	A	6lb 2oz	Yes	
N	33748	35	0	0	35	Prematurity	M.S.V.	A	A	5lb	Episiotomy	
B	4098	31	0	I	40	Twins (1) (2)	M.S.V.	A	A	6lb 7oz	Episiotomy	Morbid Morbid
						Second twin	M.S.V.	A	A	7lb	Episiotomy	
B	32392	18	0	0	40	Twins, 2nd transverse lie	Nil	A	A	6lb 2oz	No	
B	21558	22	0	I	38	Prolonged labour A.P.H.	Internal version Sedatives	A	A	3lb 8oz	Episiotomy	Blood transfusion Pulmonary tuberculosis Placenta del vered with head P.P.H.
N	34309	20	0	0	40	Second triplet	Nil	A	D	4lb 4oz	No	
N	34564	38	0	4	34	Pre-eclampsia	Sedatives	A	A	8lb 3oz	Episiotomy	
B	29850	32	0	0	34	Placenta praevia	Nil	A	SB	3lb	No	
B	34716	28	0	I	30	Spina bifida	Sedatives	A	A	2lb 6½oz	No	
N	34855	40	0	0	40	{ Cephalic Catheterization via spine	Nil	A	SB	3lb	No	
B	34197	22	0	0	40	Hydrocephalus	{ Cephalic Catheterization via spine	A	SB	2lb 6oz 5lb	Yes	

TABLE 15.—FACE AND BROW PRESENTATIONS

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Position	Treatment	Method of delivery	Result		Weight of Child	Remarks
			Before 28 weeks	After 28 weeks					M.	C.		
N	5819	32	0	2	40	L.M.A.	Nil	Spontaneous	A	A	8lb 13oz	Brow presentation Anencephalic P.P.H. Anencephaly
B	18749	28	0	3	37	R.M.P.	Flexion to vertex	Forceps	A	A	8lb 11oz	
B	27467	23	0	0	40	R.M.A.	Sedatives	Spontaneous	A	A	7lb 15oz	
B	31270	21	0	0	30	L.M.P.	Nil	Spontaneous	A	SB	2lb 7oz	
B	28994	20	0	0	40	Brow chin posterior	Extension to face manual rotation	Forceps	A	A	9lb 8oz	
N	35071	17	0	0	40	R.M.A.	Nil	Spontaneous	A	SB	6lb 2oz	

TABLE 16.—TRANSVERSE AND OBLIQUE LIE (In labour)

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Obstetric Complication	Size of os when diagnosed	Treatment	Result		Weight of Child	Remarks
			Before 28 weeks	After 28 weeks					M.	C.		
B	21558	22	0	1	38	Transverse lie, Prolapsed cord 2nd of twins	Fully dilated	Internal version to breech	A	D	4lb 4oz	

TABLE 17.—MULTIPLE PREGNANCY

B or N	Reg. No.	Age	Previous Pregnancies		Maturity		Presentation		Method of delivery		Sex		Weight		Type if known	Result			Remarks
			Before 28 weeks	After 28 weeks			1st	2nd	1st	2nd	1st	2nd	1st	2nd		M.	1st	2nd	
B	27920	24	0	1	40	Breech	Breech	Breech	Breech	Breech	M	M	6lb	4lb 8oz	Binovular	A	A	A	Abortion
N	29290	26	0	0	39	Vertex	Breech	Breech	Breech	Breech	F	M	5lb 6oz	5lb 8oz	Binovular	A	A	A	Neo natal infection
B	29325	22	0	0	26	—	—	—	—	—	M	M	—	—	Uniovular	A	—	—	Macerated S.B.
B	14447	19	0	0	38	L.S.A.	L.S.A.	Breech	Breech	Breech	F	F	6lb 7oz	6lb 5oz	Binovular	A	A	A	Operative Breech
N	29805	27	0	1	35	Vertex	Vertex	Vertex	Vertex	Vertex	F	M	—	4lb 5oz	Binovular	A	SB	A	Post natal admission
B	11811	40	0	1	38	L.O.A.	L.O.A.	L.O.A.	L.O.A.	L.O.A.	M	M	5lb 15oz	5lb 5oz	Uniovular	A	A	A	Post natal admission
B	30744	28	0	0	38	Breech	Breech	Breech	Breech	Breech	M	M	6lb 4oz	5lb 5oz	Binovular	A	A	A	Post natal admission
B	30840	27	0	1	40	R.O.A.	L.O.A.	Normal	Normal	Normal	F	F	5lb 3oz	5lb 8oz	Uniovular	A	A	A	Blood transfusion
N	30920	26	0	1	34	Vertex	Breech	Normal	Normal	Normal	M	M	3lb 7oz	3lb 2oz	Unknown	A	D	D	Post natal admission
N	30979	23	0	1	36	—	Vertex	—	Normal	Normal	F	M	6lb 8oz	5lb 1oz	Binovular	A	A	A	P.P.H.
B	31232	41	0	0	38	R.S.A.	L.S.A.	Breech	Breech	Breech	M	M	6lb 11oz	7lb 14oz	Binovular	A	A	D	Pre-eclampsia
B	21795	28	0	2	37	L.O.A.	R.O.A.	Vertex	Vertex	Vertex	M	M	4lb 10oz	4lb 13oz	Binovular	A	A	A	Hydramnios
B	32193	33	0	2	40	L.O.A.	R.S.A.	Vertex	Breech	Breech	F	M	6lb 6oz	7lb 2oz	Binovular	A	A	A	P.P.H.
N	32830	28	0	3	30	L.O.A.	R.S.A.	Vertex	Breech	Breech	M	M	2lb 4oz	2lb 7oz	Uniovular	A	SB	D	Mac
N	32697	24	0	2	40	L.O.A.	R.S.A.	Vertex	Breech	Breech	M	F	5lb	5lb 6oz	Binovular	A	A	A	Morbid
B	4098	31	0	1	40	Breech	Breech	Breech	Breech	Breech	F	F	6lb 7oz	7lb	Binovular	A	A	A	
B	32392	18	0	0	40	Vertex	Breech	Vertex	Breech	Breech	M	F	6lb 2oz	6lb 2oz	Binovular	A	A	A	
B	21558	22	0	1	38	R.S.A.	L.S.A.	Breech	Breech	Internal version	M	M	3lb 8oz	4lb 4oz	Uniovular	A	A	D	
B	29850	32	0	0	34	R.O.A.	R.O.A.	R.O.A.	R.O.A.	R.O.A.	F	(1)	3lb 15oz	3lb 15oz	Uniovular	A	A		Pulmonary tuberculosis
						Breech	Breech	Breech	Breech	Breech	F	(2)	2lb 6½oz			A	A		
						P.O.P.	P.O.P.	P.O.P.	P.O.P.	P.O.P.	F	(3)	3lb 4oz			A	A		

TABLE 18.—LABOUR FOLLOWING PREVIOUS CAESAREAN SECTION

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Previous Caesarean Section			Method of delivery	Weight of baby	Result		Remarks
			Before 28 weeks	After 28 weeks		Indication	Weight of baby	Type of C.S.			M.	C.	
B	10187	37	0	9	40	Fibroids	7lb 12oz	Unknown	Normal	8lb 6oz	A	A	Section in 5th pregnancy Medical induction
B	29485	38	0	1	40	Disproportion	4lb 8oz	Unknown	Normal	6lb 15oz	A	A	
B	7333	33	2	2	40	Gastritis Jaundice	4lb 8oz	Unknown	Normal	5lb 7oz	A	A	
N	17070	32	0	2	40	Breech	6lb	Unknown	Normal	8lb 5oz	A	A	(1) C.S. (2) N.L. (1) Forceps. (2) N.L. (3) C.S.
B	15016	27	0	3	39	Placenta Prævia	5lb 14oz	Upper segment	Normal	7lb 8oz	A	A	
B	30089	31	0	4	40	Unknown	4lb 4oz	Unknown	Normal	6lb 13oz	A	A	
B	5643	34	0	1	40	Disproportion	10lb	Unknown	Normal	6lb 12oz	A	A	
B	23277	32	0	3	40	1) Disproportion 2) N. delivery 3) N. delivery	8lb 8oz 2lb 8oz 2lb 8oz	Unknown	Normal	7lb	A	A	
N	33040	28	0	1	40	Disproportion	7lb 6oz	Unknown	Normal	7lb 4oz	A	A	
B	33131	30	1	1	40	Small pelvis	7lb 8 oz	Unknown	Cesarean section	5lb 9oz	A	A	P.P.H. Section 3rd pregnancy A.P.H.
B	32939	38	0	1	40	Disproportion	8lb 15oz	Unknown	Normal	8lb 6oz	A	A	
B	33963	37	0	9	40	A.P.H.	Unknown	Unknown	Normal	9lb 4oz	A	A	
B	21021	30	0	2	39	Toxæmia and breech	6lb 2oz	Unknown	Normal	5lb 12oz	A	SB	Prolonged labour
B	22478	31	0	2	40	Disproportion	8lb 8oz	Upper segment	Cesarean section. Lower segment	8lb 12oz	A	A	
B	30947	37	0	1	40	Contracted pelvis	6lb 2oz	Classical	Lower segment Caesarean section	7lb 9oz	A	A	
B	34093	27	1	2	40	Craniotomy for disproportion in 1st pregnancy	9lb 4oz	Unknown	Normal	9lb 3oz	A	A	Ophthalmia neonatorum
N	34855	40	0	2	30	Disproportion	Unknown	Unknown	Breech	2lb 6oz	A	SB	Placenta prævia
B	34838	33	0	1	40	Disproportion	6lb 8oz	Unknown	Normal	9lb 6oz	A	A	
B	28874	27	0	2	40	Disproportion	7lb	Unknown	Normal	8lb 2oz	A	A	

TABLE 19.—CONTRACTED PELVIS

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Type of Pelvis	Pelvic Measurements		Management			Length of Labour		Weight of Child	Result		Mor-bidity	Remarks
			Before 28 weeks	After 28 weeks			Clinical	Radiological	Surgical induction	Trial of labour	Method of delivery	1st stage	2nd stage		M.	C.		
B	26928	22	0	0	40	Flat	—	A.P. 3.7" Transverse 5"	No	Yes	Spon-taneous L.S. Casarean section	20hrs	1hr	6lb 6oz	A	A	Nil	A.P.H.
N	30112	28	0	0	40	Flat	Diagonal Conjugate 4½"	C.V. 3.6" Transverse 4.7" Outlet A.P. 4"	—	Yes	L.S. Casarean section	85hrs	—	6lb 2oz	A	A	No	Drug induction
B	28300	25	0	0	40	Flat	Diagonal Conjugate 4¾"	Inlet trans 5.6" Inlet A.P. 3.9" Outlet A.P. 4.4"	—	Yes	Normal	20½hrs	1½hrs	7lb 7oz	A	A	—	
B	29727	36	0	1	40	G.C.	Diagonal Conjugate 3¾"	Inlet trans 4.7" Inlet A.P. 3.75" Outlet A.P. 3.5"	—	—	Casarean section L.S.	—	—	8lb 4oz	A	A	No	Previous casarean section Breech presentation
N	32903	36	0	0	37	G.C.	—	—	—	Yes admin. in labour	Casarean section L.S.	95hrs	—	5lb 7oz	A	A	No	
B	22478	31	0	2	40	Flat	True conjugate 3¼"	—	No	Yes	Lower segment casarean section	69¾hrs	—	8lb 12oz	A	A	No	Previous casarean section
B	30947	37	0	1	40	Flat	—	Inlet trans 5.1" Inlet A.P. 3.4" Outlet A.P. 4.5"	—	—	Casarean section lower segment	—	—	7lb 9oz	A	A	No	Sterilization
B	8879	31	0	1	40	Flat	3¾" Diagonal Conjugate	—	No	No	Casarean section Lower Segment	—	—	7lb 11oz	A	A	No	Pyelitis

TABLE 20.—FAILED FORCEPS

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Failed Before or after ad- mission	Cause of failure	Treatment and method of delivery	Weight of Child	Result		Remarks
			Before 28 weeks	After 28 weeks						M.	C.	
N	29394	27	1	0	40	Before	Undilated cervix	Sedatives. Forceps	7lb 11oz	A	A	Morbid
N	9401	30	0	0	40	Before	P.O.P.	Manual rotation of head.	7lb 15oz	A	A	Morbid.
N	30810	21	0	0	40	Before	Unknown	Normal	7lb 8oz	A	D	Delivered ½ hour after admission
N	31052	37	0	0	40	Before	Undilated cervix	Sedatives. Forceps	8lb 3oz	A	A	Pyrexia
N	34284	23	0	0	40	Before	Unknown	Rest. Forceps delivery	7lb 11oz	A	A	Anterior lie
N	34810	30	0	2	40	Before	Undilated cervix	Rest, spontaneous delivery	7lb 11oz	A	A	Neo natal infection

TABLE 21.—PROLAPSE AND PRESENTATION OF CORD

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Size of os when diagnosed	Cause (if known)	Treatment	Result		Remarks
			Before 28 weeks	After 28 weeks					M.	C.	
N	29800	23	0	0	36	Fully dilated	Unknown	Forceps	A	A	Pre-eclampsia
B	21558	22	0	1	38	Fully dilated	Transverse lie— 2nd of twins	Internal version to breech	A	D	Prematurity

TABLE 22.—POST-PARTUM HAEMORRHAGE. (Primary P.P.H. by convention over 20oz. and within 24 hours of delivery. Secondary P.P.H. includes any appreciable haemorrhage occurring subsequently during the puerperium.)

B or N	Reg. No.	Age	Previous Pregnancies		Method of delivery	Duration of labour	Amount of Haemorrhage			Cause or pre-disposing factor	Treatment State drug, dose and route	Blood transfusion	Result to Mthr	Remarks
			Before 28 weeks	After 28 weeks			Before delivery of placenta	After delivery of placenta	Secondary P.P.H.					
B	18438	27	0	2	Normal	19hrs	Nil	36oz	No	Unknown	Ergometrine .5mgs I.M.	40 oz	A	Toxaemia
B	29111	34	0	0	Normal	11½hrs	30oz	20oz	No	Unknown	Manual removal	100 oz	A	
B	29203	28	0	0	Normal	4hrs	60-oz	Nil	No	Unknown	Ergometrine .5mgs I.V.	60 oz	A	
B	26583	29	0	0	Forceps	14hrs	Nil	Nil	Repeated	Retained products	Manual Removal	19 oz	A	Morbid
N	29444	35	0	0	Normal	—	40 oz	Nil	No	Unknown	Manual removal of placental polyp	80 oz	A	Forcepsdelivery
B	27568	21	0	0	Normal	12½hrs	15 oz	15 oz	None	Unknown	Manual removal	No	A	Postnatal admission
B	28757	35	0	0	Forceps	28hrs	None	24 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	Neo natal death
B	29877	22	0	0	Normal	7hrs	None	None	6 oz	Unknown	Ergometrine .5mgs I.M.	No	A	Forceps
B	26708	21	0	0	Normal	14hrs	24 oz	None	None	Unknown	Ergometrine .25mgs I.V. Ext. Ergot. T.D.S. ½dr. 3 days	No	A	
B	9520	22	0	0	Normal	30 hrs	40 oz	None	None	Unknown	Ergometrine .5mgs I.M.	No	A	Pre-eclampsia
B	28413	37	0	3	Normal	40hrs	24 oz	None	None	Unknown	Ergometrine .5mgs I.M.	No	A	
B	30419	25	0	1	Normal	52hrs	—	30 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	
B	30355	21	0	0	Normal	12hrs	—	26 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	Syphilis
N	14447	19	0	0	Operative breech	21hrs	—	60 oz	None	Unknown	Manual removal	60 oz	A	Twin pregnancy
B	30741	26	0	0	Normal	10hrs	—	40 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	
N	30674	25	0	0	Breech	40hrs	30 oz	—	None	Unknown	Ergometrine .5mgs I.M.	No	A	
B	30736	32	0	0	Normal	23hrs	—	25 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	
B	28992	25	0	0	Forceps	60hrs	—	40 oz	None	Prolonged labour	Ergometrine .5mgs I.M.	40 oz	A	Morbid
B	18749	28	0	3	Forceps	8½hrs	—	30 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	Brow presentation

TABLE 22.—POST-PARTUM HAEMORRHAGE. (Primary P.P.H. by convention over 20oz. and within 24 hours of delivery. Secondary P.P.H. includes any appreciable haemorrhage occurring subsequently during the puerperium). (Continued)

N	3108135	1	1	40	Forceps	—	—	—	24 oz	None	Unknown	Ergometrine .5mgs I.M.	40 oz	A	1st twin delivered at home
N	3097923	0	1	36	Normal	—	—	40 oz	40 oz	None	Twin pregnancy	Ergometrine .5mgs I.M.	40 oz	A	Thrombosis right saphenous vein
B	2899325	0	2	40	Normal	27 $\frac{3}{4}$ hrs	60 oz	None	None	None	Unknown	Ergometrine .5mgs I.M.	No	A	Post natal admission
N	3112139	0	1	40	Normal	—	60 oz	60 oz	None	None	Unknown	Ergometrine 5.mgs I.M.	40 oz	A	Morbid
B	3117532	0	0	40	Normal	18 $\frac{1}{4}$ hrs	—	30 oz	No	No	Unknown	Ergometrine .5mgs I.M.	No	A	Manual removal both previous pregnancies
B	2803432	0	1	40	Normal	15 hrs	44 oz	40 oz	None	None	Unknown	Manual removal	40 oz	A	Breech deliveries
B	3045629	0	2	40	Normal	26 hrs	—	40 oz	None	None	Unknown	Ergometrine .5mgs I.M.	No	A	
												Pitocin 5 units I.M.			
B	3123241	0	0	37	Breech	5 hrs	40 oz	40 oz	None	None	Twins	Ergometrine .5mgs I.M.	No	A	
B	2985330	1	2	40	Normal	3 $\frac{3}{4}$ hrs	40 oz	40 oz	None	None	Unknown	Ergometrine	No	A	
B	3122823	0	1	40	Normal	8 $\frac{1}{4}$ hrs	—	30 oz	None	None	Unknown	Ergometrine .5mgs I.M.	No	A	
B	2830228	0	0	40	Forceps	16 $\frac{1}{2}$ hrs	60 oz	None	None	None	Non-separation placenta	Pitocin 5 units	60 oz	A	
												Manual removal			
N	3192334	0	4	29	Breech	15 $\frac{1}{2}$ hrs	—	40 oz	None	None	Unknown	Ergometrine .5mgs	No	A	
B	3212424	0	0	40	Normal	8 hrs	—	40 oz	None	None	Unknown	Ergometrine	60 oz	A	
B	1662426	0	2	40	Normal	1 hr	—	30 oz	Nil	Nil	A.P.H.	Ergometrine .5mgs I.M.	Yes	A	Face delivery
B	2899420	0	0	40	Forceps	33 $\frac{3}{4}$ hrs	—	30 oz	Nil	Nil	Unknown	Ergometrine .5mgs I.M.	40 oz	A	Syphilis
B	3224522	0	0	40	Normal	5 $\frac{2}{3}$ hrs	—	40 oz	Nil	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	
												Pitocin 10 units			
N	3234324	0	0	40	Normal	29 $\frac{1}{2}$ hrs	20 oz	20 oz	Nil	Nil	Accidental A.P.H.	Ergometrine .5mgs I.M.	80 oz	A	Stillbirth
B	3073225	0	0	40	Normal	7 $\frac{3}{4}$ hrs	40 oz	40 oz	Nil	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	H.B. 71%
B	2948124	1	0	40	Normal	57 $\frac{1}{2}$ hrs	20 oz	20 oz	Nil	Nil	Prolonged labour	Ergometrine .5mgs I.M.	No	A	Prolonged labour
N	3269724	0	2	40	1) Vertex 2) Breech	10 hrs	—	40 oz	No	No	Twin pregnancy	Pitocin 10 units	3 pts	A	Morbid
												Ergometrine .5mgs I.M.			

TABLE 22.—POST-PARTUM HAEMORRHAGE. (Primary P.P.H. by convention over 20oz. and within 24 hours of delivery. Secondary P.P.H. includes any appreciable haemorrhage occurring subsequently during the puerperium). (Continued)

B	3061026	0	0	25hrs	—	30 oz	No	Unknown	Ergometrine .5mgs I.M.	No	A	Neonatal death
B	3272525	0	0	3hrs	—	40 oz	No	A.P.H.	Ergometrine .5mgs I.M.	4 pts	A	Episiotomy
B	3283827	0	0	31hrs	30 oz	—	No	Unknown	Ergometrine .25mgs I.M.	2 pts	A	Deep trans.
N	3304228	0	0	34hrs	60 oz	—	No	Pre-eclampsia	Ergometrine .5mgs I.M.	3 pts	A	arrest
N	3272624	0	0	49hrs	25 oz	—	No	Pre-eclampsia	Pitocin 5 units	No	A	Morbid
N	3254819	0	0	—	—	—	Nil	Unknown	Ergometrine .5mgs I.M.	2 pts	A	Post natal admission morbid
B	3305828	0	0	34hrs	—	25 oz	Nil	Unknown	Ergometrine .5mgs I.M.	2 pts	A	Ovarian dermoid
B	3085934	0	0	12½hrs	30 oz	—	None	Unknown	Expulsion	No	A	Morbid
N	3339821	0	0	64hrs	—	25 oz	None	Uterine inertia	Credé, Ergometrine .5mgs I.M.	No	A	Prolonged labour
B	3353931	0	0	11hrs	—	25 oz	None	Unknown	Ergometrine .5mgs I.M.	No	A	A.P.H.
N	3359638	1	2	11hrs	30 oz	—	None	Unknown	Expulsion. Ergometrine .5mgs I.M.	No	A	A.P.H.
B	3352931	0	0	19hrs	20 oz	—	None	Retention of Placenta	Expulsion. Ergometrine .5mgs I.M.	40 oz	A	Morbid
N	3349625	0	0	16hrs	—	25 oz	None	Unknown	.5 mgs I.M.	60 oz	A	Morbid
N	3375224	0	3	17hrs	40 oz	—	None	A.P.H.	Ergometrine .25mgs I.V.	Yes	A	A.P.H.
B	1091129	0	2	5hrs	—	50 oz	None	Unknown	Expulsion	40 oz	A	
N	3387826	0	1	25hrs	50 oz	—	Nil	Unknown	Ergometrine .5mgs I.M.	40 oz	A	
B	3293938	0	1	19hrs	—	24 oz	Nil	Unknown	Expulsion 5mgs	No	A	Previous casarean section
N	3272723	0	0	39hrs	—	30 oz	Nil	Unknown	Ergometrine .5mgs Pitocin 5 units	No	A	Syphilis
B	3202727	1	0	46hrs	—	20 oz	Nil	Unknown	Expulsion. Ergometrine .5mgs	No	A	Morbid
B	3109240	0	4	23hrs	—	25 oz	Nil	Unknown	Expulsion. Ergometrine .5mgs	No	A	
B	1738131	0	2	21½hrs	—	30 oz	Nil	Unknown	Ergometrine .5mgs	No	A	

TABLE 22.—POST-PARTUM HAEMORRHAGE. (Primary P.P.H. by convention over 20oz. and within 24 hours of delivery. Secondary P.P.H. includes any appreciable haemorrhage occurring subsequently during the puerperium). (Continued)

B	3060725	0	0	40	Normal	28hrs 14hrs	— 34 oz	30 oz —	Nil Nil	Unknown Unknown	Ergometrine .5mgs Expulsion. Ergometrine .5mgs	No 80 oz	A A	
B	2468030	0	0	40	Breech	14hrs	40 oz	Nil	Nil	A.P.H.	Ergometrine Expulsion	140 oz	A	Previous caesarean section
B	2102130	0	2	40	Normal	14hrs	24 oz	Nil	Nil	Unknown	Expulsion. Ergometrine .5mgs	No	A	Toxæmia
B	3271927	1	0	40	Normal	24hrs	30 oz 40 oz	Nil	Nil	Unknown	Ergometrine .5mgs Ergometrine .5mgs I.V.	60 oz No	A A	Stillbirth
B	3313824	0	2	40	Normal	22hrs	30 oz	Nil	Nil	Unknown	Ergometrine .5mgs	No	A	
N	3418122	0	0	40	Forceps	67hrs	40 oz	Nil	Nil	Uterine exhaustion	Ergometrine .5mgs I.V.	No	A	
B	3431118	0	0	40	Normal	47hrs	30 oz	Nil	Nil	Unknown	Ergometrine .5mgs Pitocin 10 units	No	A	
B	3119523	0	0	40	Normal	16½hrs	30 oz	Nil	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	Perineal tear
B	2469928	1	0	40	Normal	22½hrs	30 oz	Nil	Nil	Unknown	Expulsion. Ergometrine .5mgs I.M.	No	A	
B	2756729	0	1	40	Normal	10hrs	30 oz	Nil	Nil	Unknown	Expulsion. Ergometrine .5mgs I.M.	No	A	Morbid E.G.
N	3456026	3	0	37	Normal	15hrs	—	40 oz	Nil	Unknown	Expulsion. Ergometrine .5mgs I.M.	40 oz	A	Prematurity
B	2437825	0	2	40	Normal	4hrs	25 oz	—	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	Morbid E.G.
N	779828	0	3	38	Normal	3¾hrs	24 oz	—	Nil	Eclampsia	Expulsion. Ergometrine .5mgs I.M.	No	A	
N	3465532	1	2	34	Normal	19hrs	—	30 oz	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	A.P.H.
N	3471439	0	3	40	Normal	12¾hrs	25 oz	—	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	A.P.H.
N	3465022	0	0	40	Forceps	14¾hrs	—	25 oz	Nil	Perineal vessels	Suture, Ergometrine I.V.	40 oz	A	P.O.P.
B	3471129	0	0	40	Forceps	64hrs	25 oz	25 oz	Nil	Uterine exhaustion	Ergometrine 5.mgs I.V.	No	A	P.O.P.
B	3485020	0	1	40	Normal	3½hrs	40 oz	—	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	
N	3503021	0	0	40	Normal	68hrs	24 oz	24 oz	Nil	Uterine exhaustion	Expulsion. Ergometrine .5mgs I.M.	No	A	Prolonged labour
B	3419722	0	0	40	Breech	11hrs	—	30 oz	Nil	Unknown	Ergometrine .25mgs I.V.	No	A	Congenital malformation
B	3465321	0	0	40	Normal	20hrs	24 oz	24 oz	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	Pulmonary T.B.
B	3484924	0	0	40	Normal	6hrs	40 oz	40 oz	Nil	Unknown	Ergometrine .5mgs I.M.	No	A	Pre-eclampsia

TABLE 23.—MANUAL REMOVAL OF PLACENTA

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Method of delivery	Length of Labour			Indication	Amount of bleeding oz	Mor- bidity	Result to Mother	Remarks
			Before 28 weeks	After 28 weeks			1st Stage	2nd Stage	3rd Stage					
B	29111	34	0	0	40	Normal	10½ hrs	1 hr	4½ hrs	P.P.H.	30 oz	No	A	Blood transfusion
B	29203	28	0	0	35	Normal	3 hrs	1 hr	1½ hrs	P.P.H.	60 oz	No	A	Blood transfusion
B	26583	29	0	0	40	Forceps	9 hrs	4½ hrs	½ hr	Secondary P.P.H.	Repeated	Yes	A	Blood transfusion
N	29444	35	0	0	40	Normal B.B.A.	—	—	—	P.P.H.	Unknown	No	A	Blood transfusion
N	14447	19	0	0	38	Operative breech twin preg.	18¼ hrs	3 hrs	3½ hrs	P.P.H.	60 oz	Yes	A	Transfusion 3pts
N	30293	42	0	0	30	Normal	—	—	—	Delay	Slight	No	A	Postnatal admission
B	28034	32	0	1	40	Normal	14¼ hrs	½ hr	3½ hrs	Delay & P.P.H.	44 oz	Yes	A	Transfusion 40 oz
B	28302	28	0	0	40	Forceps	12½ hrs	3½ hrs	1½ hrs	Retention, P.P.H.	60 oz	No	A	Blood transfusion
N	18097	33	0	2	35	Normal B.B.A.	5¼ hrs	—	5 hrs	Retention	Unknown	No	A	Blood trans. 1½ pts

TABLE 24.—EXTERNAL VERSION BEFORE LABOUR

B or N	Reg. No.	Age	Previous Pregnancies		Maturity		Position of legs confirmed by X-Ray Yes/No	Anaesthetic (if used)	Presenta- tion at delivery	Result		Remarks
			Before 28 weeks	After 28 weeks	At version	At delivery				M.	C.	
N	29994	25	0	0	36	T	Yes	G.O. Ether	Unknown	T	A	Home delivery
N	30068	22	0	0	38	T	No	G.O. Ether	Unknown	T	A	Home delivery
B	27334	23	0	0	39	40	Yes	G.O. Ether	R.O.A.	A	A	Prolonged labour
B	18442	23	1	1	38	40	Yes	G.O. Ether	L.O.A.	A	A	
B	28988	23	0	0	37	—	Yes	G.O. Ether	L.O.A.	A	—	
N	29937	26	0	0	34	40	Yes	G.O. Ether	L.O.A.	A	A	A.P.H.
N	30493	21	0	0	37	40	Yes	G.O. Ether	Extended breech	A	A	Failed version
B	15926	35	0	2	37	—	Yes	G.O. Ether	R.O.A.	A	—	
B	30978	34	0	0	40	40	Yes	G.O. Ether	L.S.A.	A	A	
N	31168	21	0	1	40	—	No	None	Unknown	T	A	Home delivery
B	30472	35	0	4	34	40	Yes	G.O. Ether	L.O.A.	A	A	Delivered, July 6th
N	31197	19	0	0	35	—	Yes	G.O. Ether	—	A	—	Home delivery.
N	32533	34	0	0	38	—	Yes	G.O. Ether	—	A	—	Version successful
B	30856	21	0	0	35	40	No	G.O. Ether	L.O.A.	A	A	For home delivery
N	22766	22	0	1	40	40	Yes	—	R.O.A.	A	A	Prematurity
B	31202	29	0	1	40	40	No	G.O. Ether	L.O.A.	A	A	
B	32231	25	0	1	33	—	Yes	G.O. Ether	L.O.A.	A	A	
N	33943	27	0	0	40	40	Yes	G.O. Ether	Extended breech	A	A	
B	34285	25	0	0	38	40	Yes	G.O. Ether	R.O.A.	A	A	
B	33943	27	0	0	40	40	Yes	G.O. Ether	Extended breech	A	A	
B	21753	40	1	0	34	40	Yes	No	L.O.A.	A	A	Hypertension
B	34197	22	0	0	36	40	Yes	G.O. Ether	R.S.A.	A	SB	Congenital abnormality
B	34285	25	0	0	38	40	Yes	G.O. Ether	R.O.A.	A	A	Ophthalmia

TABLE 25.—SURGICAL INDUCTION OF LABOUR

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Indication	Method of induction	Induction delivery interval	Method of delivery	Duration of labour		Weight of Child	Result		Remarks
			Before 28 weeks	After 28 weeks						1st Stage	2nd Stage		M.	C.	
N	29447	33	0	1	36	Pre-eclampsia	Rupture of membranes	32hrs	Normal	4 $\frac{3}{4}$ hrs	1 $\frac{1}{2}$ hr	3lb 15oz	A	D	
B	30193	33	0	3	37	Parental Rh _o incompatibility rising antibody titre	Rupture of membranes	51hrs	Normal	35hrs	1 $\frac{1}{6}$ hr	6lb 2oz	A	A	Icterus Gravis
B	30343	36	0	7	39	Pre-eclampsia	Rupture of membranes	39hrs	Normal	3 $\frac{1}{2}$ hrs	1 $\frac{1}{6}$ hr	9lb 5oz	A	A	
N	29805	27	0	1	35	Pre-eclampsia	Rupture of membranes	4hrs	Normal	4hrs	2 $\frac{1}{8}$ hrs	1) — 2) 4lb 5oz	—	SB	
B	27569	29	1	1	37	Essential hypertension	Rupture of membranes	117hrs	Normal	6 $\frac{1}{4}$ hrs	1 $\frac{1}{2}$ hr	5lb 2oz	A	A	Ophthalmia neonatorum
N	25138	33	0	0	40	Pre-eclampsia	Rupture of membranes	32hrs	Normal	32hrs	1hr	7lb 15oz	A	A	
B	30962	42	0	5	37	Pre-eclampsia and diabetes	Rupture of membranes	11hrs	Normal	2 $\frac{3}{4}$ hrs	1hr	8lb 14oz	A	A	Post Partum eclampsia P.O.P.
B	28858	38	0	0	37	Pre-eclampsia	Rupture of membranes	44 $\frac{1}{4}$ hrs	Forceps	40 $\frac{1}{2}$ hrs	2 $\frac{3}{4}$ hrs	5lb 5oz	A	A	
B	30237	36	0	2	37	R.H. Antibodies in maternal blood	Medical and surgical	7hrs	Normal	3 $\frac{3}{4}$ hrs	1 $\frac{1}{4}$ hr	7lb 2oz	A	D	R.H. negative foetus
B	29852	29	0	0	32	Pre-eclampsia	Medical and surgical	32 $\frac{1}{2}$ hrs	Breech	7 $\frac{1}{2}$ hrs	1hr	2lb 4oz	A	SB	Prematurity
B	16979	20	0	0	40	Pre-eclampsia	Surgical	7 $\frac{1}{2}$ hrs	Normal	5 $\frac{5}{6}$ hrs	1 $\frac{1}{6}$ hrs	8lb	A	A	
N	31225	24	0	1	37	Pre-eclampsia	Surgical	21 $\frac{1}{2}$ hrs	Normal	2 $\frac{1}{2}$ hrs	1 $\frac{1}{3}$ hr	5lb 4oz	A	A	

TABLE 25.—SURGICAL INDUCTION OF LABOUR (Continued)

N	31302	33	0	1	28	Eclampsia	Rupture of membranes	29hrs	Normal	4 $\frac{3}{4}$ hrs	$\frac{1}{2}$ hr	2lb 4oz	A	D	Congenital abnormality Erythro-blastosis foetalis
B	31279	25	0	0	40	Pre-eclampsia	Rupture of membranes	41 $\frac{1}{2}$ hrs	Normal	17hrs	1 $\frac{3}{4}$ hrs	6lb 11oz	A	A	
B	19113	24	0	0	40	Pre-eclampsia	Rupture of membranes	18hrs	Forceps	14hrs	3 $\frac{3}{4}$ hrs	7lb 4oz	A	A	
N	32811	35	0	1	40	Hydramnios	Rupture of membranes	28hrs	Normal	8 $\frac{1}{2}$ hrs	$\frac{2}{3}$ hr	8lb	A	D	
B	32239	25	0	4	39	R.H. Antibodies in maternal blood	Rupture of membranes	12hrs	Normal	11hrs	$\frac{1}{3}$ hr	7lb 10oz	A	A	External version
N	32699	34	0	2	35	Essential hypertension	Rupture of membranes	32 $\frac{1}{2}$ hrs	Normal	28hrs	5mins	5lb 6oz	A	A	
N	22766	22	0	1	40	Repeated breech presentation	Rupture of membranes	53hrs	Normal	20hrs	1hr	5lb 6oz	A	A	
B	30951	24	0	2	37	Diabetes	Rupture of membranes	7hrs	Normal	3hrs	$\frac{3}{4}$ hr	10lb 1oz	A	A	
B	33315	23	0	0	40	Pre-eclampsia	Rupture of membranes	7hrs	Normal	11hrs	$\frac{1}{2}$ hr	7lb 4oz	A	A	External version
B	32389	21	0	0	40	Oedema of Vulva	Rupture of membranes	18hrs	Normal	10hrs	2hrs	7lb 10oz	A	A	
B	34113	24	0	0	37	Pre-eclampsia	Rupture of membranes	8 days	Normal	6hrs	$\frac{2}{3}$ hr	6lb 1oz	A	A	
N	34556	20	0	0	40	Pre-eclampsia	Rupture of membranes & medical	19hrs	Normal	17hrs	$\frac{1}{2}$ hr	5lb 4oz	A	A	
B	21753	40	1	0	40	Hypertension	Rupture of membranes & medical	7hrs	Normal	3 $\frac{1}{3}$ hrs	$\frac{3}{4}$ hr	6lb 7oz	A	A	External version
N	34416	27	0	0	34	Pre-eclampsia	Rupture of membranes	326hrs	Normal	19hrs	$\frac{1}{4}$ hr	3lb	A	A	Prematurity
N	35071	17	0	0	40	Anencephaly, post maturity	Rupture of membranes	87hrs	Spontaneous face	70hrs	25mins	6lb 2oz	A	SB	

TABLE 26.—CAESAREAN SECTION

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Previous C.S.	Indication	Anæsthetic used	Type of Operation	If sterilized	Duration of labour		Weight of Child	Result		Mor- bidity	Remarks
			Before 28 weeks	After 28 weeks							1st Stage	2nd Stage		M.	C.		
N	29450	22	0	0	38	No	A.P.H.	G.O. Ether	Classical	No	—	—	6lb	A	A	No	Placenta prævia 2nd degree
N	30112	28	0	0	40	No	Contracted pelvis	G.O. Ether	Lower segment	No	85hrs	—	6lb 2oz	A	A	No	Prolonged labour
N	31135	38	0	0	37	No	Pre-eclampsia	G.O. Ether	Lower segment	No	—	—	5lb 9oz	A	A	No	
N	31258	42	0	0	39	No	Pre-eclampsia	G.O. Ether	Classical	No	—	—	7lb 10z	A	A	No	Multiple fibroids
B	29727	36	0	1	40	Yes	Generally contracted pelvis	G.O. Ether	Lower segment	No	—	—	8lb 4oz	A	A	No	
B	32532	44	0	0	42	No	Elderly primip. post mature	G.O. Ether	Lower segment	No	—	—	6lb 3oz	A	A	No	
N	32903	36	0	0	36	No	Generally contracted pelvis	G.O. Ether	Lower segment	No	95hrs	—	5lb 7oz	A	A	Yes	Admitted in labour
B	33131	30	1	1	40	Yes	Contracted pelvis	G.O. Ether	Lower segment	No	67hrs	—	5lb 9oz	A	A	No	Previous C.S.
N	33824	31	0	0	40	No	Prolonged labour	G.O. Ether	Lower segment	No	82hrs	—	6lb 7oz	A	A	No	
B	22478	31	0	2	40	Yes	Contracted pelvis	G.O. Ether	Lower segment	No	69½hrs	—	8lb 12oz	A	A	No	
N	34157	38	0	3	40	No	Placenta prævia	G.O. Ether	Lower segment	No	—	—	8lb 12oz	A	A	Yes	Blood trans 5 pts
B	30947	37	0	1	40	Yes	Flat pelvis	G.O. Ether	Lower segment	Yes	—	—	7lb 9oz	A	A	No	Pyelitis
B	8879	31	0	1	40	One	Flat pelvis	G.O. Ether	Lower segment	No	—	—	7lb 11oz	A	A	No	

TABLE 27.—FORCEPS DELIVERIES

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Indication	Duration of labour		Weight of Child	Result		Remarks
			Before 28 weeks	After 28 weeks			1st Stage	2nd Stage		M.	C.	
B	26583	29	0	0	40	Secondary uterine inertia	9hrs	4 $\frac{5}{8}$ hrs	8lb 7oz	A	A	Secondary P.P.H.
N	29224	28	0	0	40	Foetal distress	7 $\frac{1}{4}$ hrs	1 $\frac{1}{2}$ hrs	5lb 15oz	A	A	Toxæmia
N	29394	27	1	0	40	Maternal exhaustion	67hrs	6hrs	7lb 11oz	A	A	Failed forceps
N	29693	37	0	0	40	Prolonged 2nd stage	37hrs	9hrs	7lb 7oz	A	A	
N	29366	37	0	0	40	Foetal distress	25 $\frac{1}{2}$ hrs	2 $\frac{3}{8}$ hrs	7lb 11oz	A	SB	Deep transverse arrest
B	28757	35	0	0	40	Foetal distress	20 $\frac{3}{4}$ hrs	7 $\frac{2}{8}$ hrs	6lb 8oz	A	A	P.P.H.
N	29390	23	0	0	40	Ischio rectal abscess	32hrs	3 $\frac{3}{4}$ hrs	7lb 1oz	A	A	
B	28517	26	0	0	40	Prolonged 2nd stage	28hrs	16hrs	8lb 9oz	A	A	Morbid
B	27334	23	0	0	40	Foetal distress	60hrs	3 $\frac{1}{4}$ hrs	7lb	A	A	External version
N	29806	23	0	0	36	Foetal distress	8 $\frac{3}{4}$ hrs	2 $\frac{1}{4}$ hrs	3lb 13oz	A	A	Prolapsed cord
N	9401	30	0	0	40	Prolonged 2nd stage	—	7 $\frac{3}{4}$ hrs	7lb 15oz	A	A	P.O.P.
N	30215	38	0	0	40	Prolonged 2nd stage	72hrs	3 $\frac{1}{4}$ hrs	8lb 8oz	A	A	
B	30619	42	0	0	38	Foetal distress	7 $\frac{1}{2}$ hrs	3 $\frac{5}{8}$ hrs	6lb	A	A	
B	27916	29	0	0	40	Foetal distress	6hrs	3hrs	10lb	A	A	
B	28992	25	0	0	40	Prolonged labour	57hrs	3hrs	9lb 3oz	A	A	Hydramnios
B	18749	28	0	3	37	Brow presentation	5hrs	3 $\frac{1}{8}$ hrs	8lb 11oz	A	A	P.P.H.
B	7352	39	0	5	40	Maternal distress	43hrs	2 $\frac{3}{4}$ hrs	8lb 8oz	A	A	
B	30809	29	0	0	39	No advance 2nd stage	58hrs	4hrs	9lb 9oz	A	A	Failed forceps
N	31052	37	0	0	40	Foetal distress	28 $\frac{1}{2}$ hrs	11 $\frac{3}{4}$ hrs	8lb 3oz	A	A	P.P.H.
N	31081	35	1	1	40	Foetal distress	—	1 $\frac{1}{2}$ hrs	7lb 8oz	A	A	Morbid
B	8995	24	0	0	32	No advance 2nd stage	31 $\frac{1}{2}$ hrs	3 $\frac{1}{4}$ hrs	3lb 8oz	A	A	Pre-eclampsia
B	30233	36	1	0	40	Maternal distress	55 $\frac{3}{4}$ hrs	3 $\frac{1}{2}$ hrs	6lb 12oz	A	A	
N	31105	22	0	0	40	Deep transverse arrest	51hrs	3 $\frac{1}{2}$ hrs	8lbs	A	A	
B	31106	36	0	0	40	Prolonged 2nd stage	22hrs	4hrs	8lb 4oz	A	A	Deep transverse arrest
B	28858	38	0	0	37	Lack of advance	40 $\frac{1}{2}$ hrs	2 $\frac{3}{4}$ hrs	5lb 5oz	A	A	P.O.P. delivery
B	31166	38	0	0	40	Maternal distress	20hrs	1hr	8lb 6oz	A	A	Pre-eclampsia
B	31213	33	0	0	37	Maternal distress	35 $\frac{1}{2}$ hrs	3hrs	7lb	A	SB	Pre-eclampsia
N	21562	38	0	0	40	Foetal distress	82hrs	3hrs	7lb 9oz	A	A	Prolonged labour
B	29115	38	0	2	40	Foetal distress	51hrs	—	8lb	A	A	Manual dilatation cervix
N	31212	39	0	1	40	Weak pains, no advance	12hrs	2 $\frac{3}{8}$ hrs	6lb 8oz	A	A	Pre-eclampsia
B	28302	28	0	0	40	Maternal distress	12 $\frac{1}{2}$ hrs	3 $\frac{3}{4}$ hrs	6lb 15oz	A	A	P.P.H.
N	31320	30	0	0	40	Foetal distress	11hrs	1 $\frac{1}{4}$ hrs	7lb 10oz	A	A	A.P.H.
N	32044	36	0	0	40	Deep transverse arrest	12 $\frac{1}{2}$ hrs	3 $\frac{3}{4}$ hrs	7lb 10oz	A	A	Morbid
N	32122	24	0	0	40	Deep transverse arrest	76 $\frac{1}{2}$ hrs	1 $\frac{1}{4}$ hrs	7lb 5oz	A	A	
B	19113	24	0	0	40	Delay in 2nd stage	14hrs	3 $\frac{3}{4}$ hrs	7lb 4oz	A	A	Pre-eclampsia
B	32258	30	0	4	40	P.O.P.	9hrs	2 $\frac{1}{4}$ hrs	7lb 9oz	A	A	

TABLE 27.—FORCEPS DELIVERIES (Continued)

N	31335	22	0	0	40	Delay in 2nd stage	49hrs	2hrs	10lb 7oz	A	SB	
B	29729	31	0	0	40	Maternal distress	43hrs	2 $\frac{3}{4}$ hrs	9lb 2oz	A	A	
B	32549	24	0	0	40	Prolonged 2nd stage	3 $\frac{1}{4}$ hrs	3 $\frac{1}{4}$ hrs	8lb 15oz	A	A	
B	28994	20	0	0	40	Brow presentation	31 $\frac{1}{4}$ hrs	2 $\frac{1}{2}$ hrs	9lb 8oz	A	A	Face delivery
B	29869	20	0	0	40	Foetal distress	11hrs	$\frac{2}{3}$ hr	8lb 3oz	A	A	Prolonged labour
N	32551	28	0	0	40	P.O.P.	7hrs	6 $\frac{1}{4}$ hrs	8lb 7oz	A	A	P.O.P.
N	11895	37	0	4	40	Lack of advance	32 $\frac{3}{4}$ hrs	$\frac{1}{6}$ hr	8lb 12oz	A	A	
B	14887	32	0	4	40	Deep transverse arrest	7hrs	3hrs	9lb	A	A	Syphilis
B	29980	21	0	0	40	P.O.P.	20hrs	4hrs	7lb 8oz	A	A	Pre-eclampsia
B	32418	23	0	0	40	Lack of advance	8hrs	3 $\frac{1}{6}$ hrs	8lb 4oz	A	A	
E	33006	28	0	0	40	Lack of advance	42hrs	2 $\frac{1}{2}$ hrs	8lb 5oz	A	SB	
N	33049	25	0	0	40	Lack of advance	4 $\frac{3}{4}$ hrs	3 $\frac{1}{3}$ hrs	7lb 15oz	A	A	P.O.P.
B	32838	37	0	0	40	Foetal distress	30hrs	75mins	7lb	A	A	P.P.H.
B	30476	21	0	0	40	Lack of advance	12hrs	4 $\frac{1}{4}$ hrs	6lb	A	A	P.O.P.
B	33007	30	0	0	40	Lack of advance	5hrs	3 $\frac{1}{4}$ hrs	6lb 13oz	A	A	Deep transverse arrest
N	32726	24	0	0	40	Foetal distress	48hrs	$\frac{3}{4}$ hr	6lb 12oz	A	A	P.O.P.
N	33042	28	0	0	40	Lack of advance	30hrs	3 $\frac{1}{2}$ hrs	9lb 2oz	A	A	P.P.H.
B	32241	27	0	0	40	Lack of advance	15 $\frac{1}{2}$ hrs	2 $\frac{3}{4}$ hrs	5lb 7oz	A	A	
B	30859	34	0	0	39	P.O.P.	9 $\frac{1}{2}$ hrs	3hrs	6lb 8oz	A	A	P.P.H.
N	33398	21	0	0	40	Prolonged labour	60hrs	3 $\frac{3}{8}$ hrs	7lb 9oz	A	A	P.P.H.
B	33529	31	0	0	40	Maternal distress	17 $\frac{1}{2}$ hrs	1 $\frac{1}{2}$ hrs	8lb 13oz	A	A	
N	33530	29	0	0	40	Lack of advance	32 $\frac{1}{2}$ hrs	2 $\frac{2}{3}$ hrs	5lb 7oz	A	A	
B	33594	26	0	0	40	Lack of advance	34hrs	3 $\frac{1}{6}$ hrs	9lb 6oz	A	A	
B	32493	22	0	0	40	Foetal distress	4hrs	3hrs	8lb 9oz	A	A	Syphilis
N	33496	25	0	0	40	Lack of advance	12 $\frac{1}{2}$ hrs	3 $\frac{1}{2}$ hrs	8lb 5oz	A	A	P.P.H.
B	32027	27	1	0	40	Lack of advance	42 $\frac{1}{2}$ hrs	3 $\frac{1}{8}$ hrs	6lb 14oz	A	A	P.P.H.
N	13673	36	0	4	40	Maternal distress	17 $\frac{1}{2}$ hrs	$\frac{1}{2}$ hr	8lb 15oz	A	A	Deep transverse arrest
N	34072	21	0	0	40	P.O.P.	64hrs	3 $\frac{3}{4}$ hrs	7lb 10oz	A	A	Prolonged labour
N	34181	22	0	0	40	Maternal distress	65hrs	2 $\frac{1}{4}$ hrs	11lb 8oz	A	SB	P.P.H.
B	31206	23	0	0	40	Foetal distress	22hrs	2hrs	7lb 10oz	A	A	
N	34284	23	0	0	40	Foetal distress	21hrs	8hrs	7lb 11oz	A	A	Failed forceps
B	34266	38	0	0	40	P.O.P.	34hrs	3hrs	7lb 10oz	A	A	
B	31203	30	0	0	40	Lack of advance	20 $\frac{1}{3}$ hrs	3hrs	8lb 8oz	A	A	
B	31085	22	0	1	40	Foetal distress	17hrs	1 $\frac{1}{2}$ hrs	8lb 7oz	A	A	
N	34717	24	0	0	40	P.O.P.	35 $\frac{1}{2}$ hrs	3hrs	8lb 1oz	A	A	P.P.H.
N	34650	22	0	0	40	P.O.P.	13 $\frac{1}{2}$ hrs	1 $\frac{1}{2}$ hr	7lb 7oz	A	A	P.P.H.
B	34711	29	0	0	40	P.O.P.	60hrs	4hrs	8lb 12oz	A	A	Pre-eclampsia
N	34651	28	1	0	40	Foetal distress, P.O.P.	31 $\frac{1}{2}$ hrs	2 $\frac{1}{4}$ hrs	7lb 7oz	A	A	
B	33871	18	0	0	37	Lack of advance, Eclampsia	15 $\frac{1}{2}$ hrs	2 $\frac{1}{2}$ hrs	6lb 7oz	A	D	
N	35101	32	0	0	40	Foetal distress	44hrs	1 $\frac{1}{3}$ hrs	6lb 11oz	A	A	Deep transverse arrest
B	34930	22	0	0	40	Lack of advance	14hrs	4 $\frac{3}{4}$ hrs	6lb 5oz	A	A	Pre-eclampsia

TABLE 28.—VERSION IN LABOUR

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Indication	Internal Bipolar or External	Weight of Child	Result		Remarks
			Before 28 weeks	After 28 weeks					M.	C.	
B	21558	22	0	1	38	Transverse lie— 2nd of twins	Internal	4lb 4oz	A	D	Prolapsed cord, prematurity

TABLE 29.—EMBRYOTOMY AND CRANIOTOMY

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Indication	Type of Pelvis	Duration of labour		Type of operation	Weight of Child	Result to Mother	Remarks
			Before 28 weeks	After 28 weeks				1st Stage	2nd Stage				
B	34090	20	0	0	40	Hydrocephalus	Normal	19½hrs	½hr	Perforation anterior fontanelle	8lb 10oz	A	

TABLE 30.—PUERPERAL PYREXIA, GENITAL INFECTION

B or N	Reg. No.	Age	Previous Pregnancies		Matur- ity	Method of delivery, Opera- tion, induction, manual removal, etc.	Cause of temperature	Organisms, if known	Treatment	Result	Remarks
			Before 28 weeks	After 28 weeks							
B	28755	32	0	0	40	Normal	Urinary and vaginal	B. Coli	Penicillin and sulphatriad	A	Toxæmia
B	26583	29	0	0	38	Forceps	Urinary and vaginal	B. Coli	Citrates	A	Secondary P.P.H.
B	29506	18	0	0	40	Normal	Unknown	No growth	Nil	A	
B	26262	26	0	0	40	Normal	Vaginal	Staph. albus	Citrates	A	
B	29010	31	0	1	37	Normal	Vaginal	Staph. albus	Citrates	A	
N	28331	39	0	3	37	Normal	Urinary	B. Coli	Sulphonamides	A	Toxæmia
N	29394	27	1	0	40	Forceps	Urinary and vaginal	Staph. pyogenes albus	Sulphatriad	A	Failed forceps
N	29446	27	0	0	39	Normal	Urinary and vaginal	Staph. albus	Citrates	A	Toxæmia
B	28516	19	0	0	36	Normal	Unknown	Unknown	Chemo-Therapy	A	
B	21200	30	0	1	40	Normal	Urinary	B. coli	Citrates	A	
B	28517	26	0	0	40	Forceps	Urinary and vaginal	Staph. aureus	Chemo-Therapy	A	Retention of urine
N	9401	30	0	0	40	Forceps, P.O.P.	Vaginal	Non-hæmolytic strep.	Citrates	A	Failed forceps
B	30705	27	0	0	40	Normal	Urinary and vaginal	B. Coli	Sulphatriad	A	
B	31051	24	0	0	36	Normal	Unknown	Vaginal swab staph. albus	Nil	A	
B	29984	26	0	2	40	Normal	Unknown	Vaginal swab staph. albus and non-hæmolytic strep	Nil	A	

TABLE 30.—PUERPERAL PYREXIA, GENITAL INFECTION (Continued)

B	22463	25	1	0	40	Normal	Urinary and vaginal	B. Coli	Sulphatriad	A	Phlebitis ext. saphenous vein
N	31052	37	0	0	40	Forceps	Urinary and vaginal	B. Coli	Sulphatriad Penicillin	A	Failed forceps
B	8995	24	0	0	32	Forceps	Urinary	B. Coli	Sulphatriad citrates	A	Prematurity
B	28034	32	0	1	40	Normal, manual removal, P.P.H.	Vaginal	B. Coli. Non-hæmolytic strep.	Sulphatriad	A	Pre-eclampsia
B	31227	23	0	0	40	Normal	Vaginal	Non-hæmolytic strep.	Citrates	A	
N	31223	19	0	0	40	Normal	Vaginal	Non-hæmolytic strep.	Citrates	A	
B	31238	27	0	1	40	Normal	Urinary and vaginal	Staph. albus, non-hæmolytic strep.	Citrates	A	
B	21886	29	0	1	40	Normal	Vaginal	Staph. aureus	Penicillin	A	
B	28994	20	0	0	40	Rotation brow, face delivery forceps	Urinary and vaginal	B. Coli	Sulphatriad, blood transfusion	A	P.P.H.
B	12799	24	0	4	40	Normal	Urinary and vaginal	Non-hæmolytic strep.	Sulphatriad, citrates	A	
N	32343	24	0	0	40	Medical induction	Urinary and vaginal	B. Coli	Sulphatriad	A	Accidental A.P.H.
B	30732	25	0	0	40	Normal	Urinary and vaginal	B. Coli	Citrates	A	Ophthalmia neonatorum
N	32811	35	0	1	40	Rupture of membranes 1st vertex, 2nd breech	Urinary and vaginal	B. Coli	Sulphatriad	A	Neonatal death
N	32697	24	0	2	40	L.S. casarean section	Urinary and vaginal	B. Coli	Sulphatriad blood trans.	A	P.P.H.
N	32903	36	0	0	37		Urinary and vaginal	B. Coli	Penicillin sulphatriad	A	B. Coli in intra-uterine swab taken at operation
N	32726	24	0	0	40	Manual rotation, Forceps	Vaginal	Staph. aureus	Sulphatriad	A	P.P.H.

TABLE 30.—PUERPERAL PYREXIA, GENITAL INFECTION (Continued)

N	32962	29	0	0	40	Normal	Urinary and vaginal Pelvic cellulitis	B. Coli	Sulphatriad	A	Pre-eclampsia
N	32548	19	0	0	40	Forceps, P.O.P.		B. Coli	Penicillin, phthalyl sulphathiazole. blood trans.	A	Postnatal admission
B	30859	34	0	0	39	Forceps, P.O.P.	Urinary and vaginal	B. Coli	Sulphatriad	A	P.P.H.
B	33314	24	0	0	40	Normal	Urinary and vaginal	Staph. aureus	Penicillin	A	
B	18594	23	0	0	40	Normal	Urinary and vaginal	Hæmolytic strep.— not groups A. B. C. D. or G.	Sulphatriad	A	
B	33529	31	0	0	40	Forceps	Urinary and vaginal	B. Coli	Sulphatriad	A	Blood transfusion
N	33496	25	0	0	40	Forceps	Urinary and vaginal	B. Coli, staph. aureus	Penicillin sulphatriad blood trans.	A	Forceps
B	32027	27	1	0	40	Forceps	Vaginal	Staph. aureus	Sulphatriad	A	P.P.H.
N	34157	38	0	0	40	Cæsarean section	Urinary and vaginal	B. Coli	Sulphatriad	A	
B	34308	36	0	0	38	Normal	Urinary and vaginal	B. Coli	Sulphatriad	A	Hyperemesis
B	34711	29	0	0	40	Forceps, P.O.P.	Vaginal	B. Coli	Sulphatriad	A	Prolonged labour
B	34735	21	0	0	40	Normal	Vaginal and urinary	B. Coli	Sulphatriad	A	
N	3826	34	0	0	40	Normal	Vaginal	B. Coli, staph. aureus	Sulphatriad	A	Prematurity
B	28874	27	0	0	40	Normal	Urinary and vaginal	B. Coli	Sulphatriad	A	Previous cæsarean section

TABLE 31. PUERPERAL PYREXIA, EXTRA-GENITAL INFECTION

B or N	Reg. No.	Age	Previous Pregnancies		Maturity	Method of delivery. Operation, induction, manual removal, etc.	Cause of temperature	Organisms, if known	Treatment	Result	Remarks
			Before 28 weeks	After 28 weeks							
N	29446	27	0	0	39	Normal	Urinary infection	Staph. albus	Citrates	A	Toxaemia
N	29394	27	1	0	40	Forceps	Urinary infection	Staph. pyogenes	Sulphatriad	A	Failed forceps
N	29331	39	0	3	37	Normal	Urinary infection	B. Coli	Sulphonamides	A	Toxaemia
B	29010	31	0	1	37	Normal	Urinary infection	Staph. albus	Citrates	A	
B	28755	32	0	0	40	Normal	Urinary infection	B. Coli	Citrates	A	Secondary P.P.H.
B	26583	29	0	0	38	Forceps	Urinary infection	B. Coli	Penicillin sulphatriad	A	Toxaemia
B	29506	18	0	0	40	Normal	Unknown	No growth	Nil	A	
B	26262	26	0	0	40	Normal	Urinary infection	Staph. albus	Citrates	A	
N	29390	23	0	0	40	Forceps	Ischio rectal abscess	B. Coli	Sulphonamides	A	
N	30244	25	0	4	40	Normal	(L) Mastitis	Unknown	Penicillin	A	Admitted 12th day of puerperium
B	6180	28	0	0	40	Normal	Mastitis	Unknown	Penicillin and short wave	A	
B	30111	20	0	0	40	Normal	Mastitis	Unknown	Penicillin 1,200,000 units	A	
B	30194	23	1	0	40	Normal	Mastitis	Unknown	Penicillin	A	
N	14447	19	0	0	39	Operative breech manual removal	Mastitis	Staph. aureus penicillin resistant	1,400,000 units Penicillin aspiration	A	Twin pregnancy
N	9401	30	0	0	40	Forceps	Urinary infection	Non-haemolytic strep.	Citrates	A	Failed forceps
B	30705	27	0	0	40	Normal	Urinary infection	B. Coli	Sulphatriad	A	
B	28992	25	0	0	40	Forceps	Urinary and vaginal	B. Coli	Sulphatriad	A	Prolonged labour

TABLE 31.—PUERPERAL PYREXIA, EXTRA-GENITAL INFECTION (Continued)

B	27247	25	0	1	40	Normal	Mastitis	Staph. aureus	Penicillin aspiration	A	
B	31059	30	0	4	40	Normal	Mastitis	Unknown	Penicillin sulphonamides	A	V.V. Vulva
B	22463	23	1	0	40	Normal	Urinary infection	B. Coli	Sulphatriad	A	Phlebitis ext. saphenous vein
N	31052	37	0	0	40	Forceps	Urinary infection	B. Coli	Sulphatriad and Penicillin	A	Failed forceps
B	8995	24	0	0	32	Forceps	Urinary infection	B. Coli	Sulphatriad	A	Prematurity
B	31150	22	0	0	40	Normal	Mastitis	Unknown	Penicillin sulphatriad	A	
B	31219	17	0	0	40	Normal	Tonsillitis	Unknown	Sulphatriad	A	
B	31297	17	0	0	40	Normal	Mastitis	Unknown	Penicillin	A	
B	31035	22	0	0	40	Normal	Unknown	Unknown	Sulphatriad	A	
B	29112	26	0	0	40	Normal	Mastitis	Unknown	Penicillin	A	
B	31929	44	0	1	40	Normal	Mastitis	Unknown	Sulphatriad	A	
N	32044	46	0	0	40	Forceps	Pyelitis	B. Coli	Sulphatriad	A	
N	32114	21	0	0	—	Breech	Unknown	Unknown	—	A	
N	32255	39	0	4	33	Normal	Unknown	Unknown	Nil	A	
N	31335	22	0	0	40	Forceps	Pyelitis	B. Coli	Sulphatriad	A	Blood transfusion
N	32544	36	0	2	40	Normal	Mastitis	Unknown	Expression radiant heat	A	Pre-eclampsia
B	26548	22	0	1	40	Normal	Mastitis	Unknown	Penicillin	A	
B	32550	27	0	0	40	Normal	Mastitis	Unknown	sulphatriad	A	
B	29577	27	0	1	40	Normal	Unknown	Unknown	Penicillin	A	
N	32830	28	0	3	30	(1) Normal (2) breech	Mastitis	Unknown	sulphatriad	A	
B	32839	19	0	0	40	Normal	Tonsillitis	Slightly hæmolytic strep.	Sulphatriad	A	Rise for one day Hydramnios
									Penicillin	A	Poliomyelitis (old)

TABLE 31.—PUERPERAL PYREXIA, EXTRA-GENITAL INFECTION (Continued)

B	30476	21	0	0	Forceps, P.O.P.	Unknown	Unknown	Nil	A	Neonatal infection
B	31276	22	0	0	Normal	Engorged breasts	Unknown	Expressed	A	
B	30340	22	0	0	Normal	Mastitis	Unknown	Penicillin	A	
B	33067	19	0	0	Normal	Thrombosis deep veins of leg	Unknown	Heparin penicillin	A	
B	33818	22	0	0	Normal	Mastitis	Unknown	Penicillin	A	
B	31917	22	1	0	Normal	Dental abscess	Unknown	Extraction	A	
B	33825	18	0	0	Normal	Mastitis	Unknown	Penicillin	A	
N	32737	23	0	0	Normal	Coryza	Unknown	Penicillin	A	Syphilis
B	32106	21	0	0	Normal	Cystitis	B. Coli	Sulphatriad	A	
B	34073	22	0	0	Normal	Mastitis	Unknown	Penicillin	A	
N	24800	19	1	0	Normal	Mastitis	Unknown	Penicillin	A	A.P.H.
B	32393	18	0	0	Twins— 2nd breech	Cystitis	Staph. aureus	Penicillin	A	
B	31034	27	1	0	Normal	Respiratory infection	Unknown	Sulphatriad	A	
B	21558	22	1	0	1st twin, breech 2nd twin— internal ver- sion to breech	Mastitis	Unknown	Penicillin Expression Penicillin	A	21st day
B	24378	25	2	0	Normal	Mastitis	Unknown	Penicillin	A	P.P.H.
B	27567	29	1	0	Normal	Tonsillitis	Unknown	Sulphatriad	A	P.P.H.
N	34736	42	2	0	Normal	Mastitis	Unknown	Sulphatriad	A	
B	35104	22	0	0	Normal	Mastitis	Unknown	Expression Penicillin	A	Complete resolution

MATERNAL DEATHS

29507

Age 32.—One premature delivery 1940. Abortion $3\frac{1}{2}$ months 1946. Abortion 4 months 1947. Seen on 13th December 1948 at the A.N.C. with some anæmia and given iron by mouth. Admitted 7th January 1949, 25 weeks pregnant and delivered herself of a stillborn foetus, 12 hours later. Examination of the placenta showed retro-placental clot. Blood count showed 23% Hæmoglobin with 7,800 white cells, 1,000,000 R.B.C. Group O Rhesus positive. She was given a 2 pint blood transfusion on the 9th January. On the 17th January, her Hæmoglobin was 32% with 12% of Reticulocytes and sternal puncture showed erythropoietic activity. On the 19th January she had a further 2 pint blood transfusion. On the 25th January, her Hæmoglobin was 25% and on the following day 23%, when she was given a pint of packed cells before transfer to the Medical Wards.

She was given a further blood transfusion of $2\frac{3}{4}$ pints on the 2nd February. Her H.B. was still only 38% on the 6th. Further blood transfusions were given but her condition deteriorated rapidly on the 11th February when she died. Post mortem showed a sub-acute hæmolytic anæmia, with enlargement of the liver and spleen.

34257

Age 24.—Para O. Admitted at 38th week. B.P. 174/94 and a history of œdema for three weeks. There was slight bleeding 2 hours before admission and she was thought to be starting labour. No urine was obtained on catheterization, and six hours after admission she went comatose, with spasticity of her limbs and stertorous breathing. Her right pupil became dilated and an hour later she had a flaccid paralysis. She died two hours after her cerebral catastrophe, undelivered. Post mortem showed retro-placental clot and all cerebral ventricles filled with blood.

SECTION II.—PÆDIATRIC REPORT

	In-patients		TOTALS
	B.	N.B.	
Infants born in hospital	917	202	1119
Infants born before admission	18	18	36
Total infants born	937	220	1155
Stillbirths	22	14	36
Stillbirth rate (per 1,000 total births)	23.9	69.3	31.1
Neonatal deaths	21	17	38
Neonatal death rate (per 1,000 live births)	22.9	90.4	33.8

There were 1,119 infants born in hospital, excluding 36 born before admission, but nursed in hospital. There were 36 stillbirths, and 38 neonatal deaths 8 of these occurring in women delivered before admission.

During the year a single-bedded ward was converted into a nursery for premature babies, but it has not yet been possible to supply a special staff for their care. From a total of 96 premature babies delivered in or admitted to hospital, 23 died. From 23 babies weighing under 3½lbs, 7 survived; from 21 babies weighing between 3½lbs and 4½lbs, 17 survived; and from 52 weighing between 4½lbs and 5½lbs, all survived except three. All premature babies are retained in hospital together with their mothers until they reach a weight of 5lbs or over.

Congenital malformation of greater or less degree was present in a total of 21 babies. Of these, 10 died or were stillborn, while 11 survived.

N. NOBLE,
Senior Obstet. Registrar.

TABLE 32.—STILLBIRTHS. A stillborn child is defined as one born at or after the completion of the 28th week of pregnancy and which fails to breathe after birth

B or N	Reg. No.	Weight	Maturity of foetus	Sex	Method of delivery	Maternal factors	Foetal factors	P.M. findings (if no P.M. state 'not done')	Remarks and (probable) cause of death
B	29220	Unknown	30	M	Normal	Premature labour	Unknown	Not done	Macerated
N	29366	7lb 11oz	40	F	Forceps	Slow cervical dilatation	Unknown	Tentorial tear	Intracranial hæmorrhage
B	30010	6lb	33	M	Normal	Syphilis	Unknown	Not done	Macerated
B	30586	4lb 13oz	32	M	Normal	Premature labour	Unknown	Asphyxia	Asphyxia
N	16890	Unknown	36	—	Normal	Unknown	Unknown	Not done	Twin pregnancy post-natal admission
N	30293	Unknown	30	—	Normal	Unknown	—	Not done	Macerated postnatal admission
N	29805	Unknown	35	—	Normal	Pre-eclampsia	Unknown	Not done	Macerated twin pregnancy
B	15942	6lb 14oz	37	M	Normal	Pre-eclampsia	None	Asphyxia, bilateral tentorial tears	Macerated
B	28519	4lb 7oz	34	M	Normal	Pre-eclampsia	Unknown	Not done	Macerated
B	30949	Unknown	36	M	Normal	Pre-eclampsia	Unknown	Not done	Macerated
N	16318	Unknown	34	M	Normal	A.P.H.	Unknown	Not done	Antenatal death
B	31213	7lb	37	M	Forceps	Pre-eclampsia	None	Asphyxia	Intranatal death
B	29852	2lb 4oz	32	F	Breech	Pre-eclampsia	Unknown	Not done	Prematurity
B	31271	7lb	40	F	Normal	Slow cervical dilatation	Unknown	Asphyxia	Infarcted placenta
B	31270	2lb 7oz	30	F	Spontaneous face	None	Anencephalic	Not done	Congenital abnormality
N	28991	5lb 2oz	38	F	Normal	A.P.H.	Unknown	Not done	Placental separation
B	32110	6lb 2oz	40	F	Normal	Nil	Nil	Not done	Macerated
B	32188	5lb 12oz	40	M	Normal	Nil	R. kidney absent Left kidney rudimentary	Atelectasis	Congenital abnormality

TABLE 32.—STILLBIRTHS. A stillborn is defined as one born at or after the completion of the 28th week of pregnancy and which fails to breathe after birth (Continued)

N	31335	10lb 7oz	40	M	Forceps Normal	Nil	Nil	Nil	Prolonged labour	Cerebral hæmorrhage	Prolonged labour
B	25873	6lb 10oz	40	M	Normal	Nil	Nil	Nil	Antenatal death	Asphyxia	Antenatal death
B	16624	7lb 5oz	40	F	Normal	A.P.H.	Unknown	Unknown	Placental separation	Not done	Placental separation
B	32553	6lb 8oz	40	M	Normal	Prolonged labour	None	None	Heart beating at delivery	Tentorial tears	Heart beating at delivery
N	32343	4lb 14oz	40	M	Normal	Accidental A.P.H.	None	None	Retro-placental clot.	Not done	Retro-placental clot.
N	32830	2lb 4oz	30	M	Normal	Hydramnios	Twin pregnancy	None	Early maceration	Not done	Early maceration
B	33006	8lb 5oz	40	M	Forceps	None	None	None	Intracranial hæmorrhage	Tentorial tears	Intracranial hæmorrhage
B	33221	4lb	35	F	Normal	Syphilis	None	None	Maceration. No spirochaetes in liver	—	Maceration. No spirochaetes in liver
N	33397	4lb	33	M	Normal	A.P.H.	Congenital abnormality	Congenital abnormality	Congenital abnormality	Not done	Congenital abnormality
B	26864	1lb 4oz	34	F	Normal	Hypertension	Not known	Not known	Maceration	Not done	Maceration
B	21021	5lb 12oz	39	F	Normal	A.P.H.	Unknown	Unknown	Asphyxia	Not done	Asphyxia
B	34090	8lb 10oz	40	F	Craniotomy spontaneous	Nil	Hydrocephalus	Hydrocephalus	Perforation anterior fontanelle	Not done	Perforation anterior fontanelle
N	34181	11lb 8oz	40	F	Forceps	Prolonged labour	None	None	Intracranial hæmorrhage	Tentorial tears	Intracranial hæmorrhage
N	18097	Unknown	35	—	Normal	Nil	Unknown	Unknown	Prematurity. Postnatal admission	Not done	Prematurity. Postnatal admission
N	34855	2lb 6oz	30	M	Breech	Placenta prævia	None	None	Asphyxia	Not done	Asphyxia
B	34716	3lb	32	F	Breech	Premature labour	None	None	Intracranial hæmorrhage	Bilateral tentorial tears	Intracranial hæmorrhage
N	35071	6lb 2oz	40	F	Spontaneous face	None	Anencephaly	Anencephaly	Congenital malformation	Not done	Congenital malformation
B	34197	5lb	40	F	Breech	None	Hydrocephalus spina bifida	Hydrocephalus spina bifida	Congenital malformation	Not done	Congenital malformation

TABLE 33.—NEONATAL DEATHS (Death within 28 days either in the hospital or after transfer to another hospital but excluding those discharged healthy)

B or N	Reg. No.	Birth weight	Maturity of foetus	Sex	Method of delivery	Maternal factors	Complications in Infant	P.M. findings (if no P.M. state 'not done')	Age at death	Method of feeding	Remarks and (probable) cause of death
B	11600	6lb 10z	40	M	Normal	None	Recurrent cyanosis	Septic inhalation pneumonia	11 days	Oeso. tube	
B	27568	5lb 13oz	36	M	Normal	Unknown	Oedema	Intra cranial hæmorrhages	5 days	E.B.M.	Birth trauma
N	29935	2lb 12oz	36	F	Normal	Pre-eclampsia	Cyanosis	Intra ventricular hæmorrhage	16hrs	—	
N	29447	3lb 15oz	35	M	Normal	Pre-eclampsia	Cyanosis	Intra ventricular hæmorrhage	18hrs	—	Birth trauma
B	30009	8lb 7oz	40	M	Normal	None	Staph. cellulitis-cheek	Staph. broncho pneumonia	9 days	E.B.M.	Penicillin resistant staph. aureus
N	30117	5lb 10oz	36	M	Breech	None	None	Defective mesentery Volvulus	11 days	Breast	
B	18099	2lb 12oz	30	M	Normal	A.P.H.	Breech delivery	Atelectasis, intra-dural hæmorrhage	7hrs	—	Prematurity
B	18577	3lb 7oz	32	F	Breech	None	Cyanosis	Torn vein of Galen	24hrs	—	Intra cranial hæmorrhage
N	30810	7lb 8oz	40	M	Normal	None	Asphyxia pallida	Bilateral tentorial tears	3 $\frac{3}{4}$ hr	—	Failed forceps
N	30920	3lb 7oz	34	M	1) Vertex	Premature labour	1) Cyanosis	1) Intra ventricular hæmorrhage	24hrs	Spoon	Intra cranial hæmorrhage
		3lb 2oz		M	2) Breech		2) Breech	2) Aspiration Liquor amni	5 days	Oesph. tube	Asphyxia
B	28758	8lb 12oz	40	F	Normal	Unknown	Diaphragmatic hernia	Diaphragmatic hernia hypoplasia left lung common mesentery	25hrs	Spoon	Congenital malformation
B	31186	5lb 12oz	40	F	Normal	None	Asphyxia livida	Pulmonary emphysema ruptured stomach	33hrs	—	Oxygen given by nasal catheter
N	31185	7lb 4oz	40	M	Normal	Immune R.H. antibodies 1—32	Erythroblastosis foetalis	Early broncho pneumonia, enlarged spleen and liver, lepto meningeal hæmorrhage	49hrs	Spoon E.B.M.	Erythroblastosis
B	30237	7lb 2oz	37	F	Normal surgical induction	R.H. antibodies	Cyanosis	Atelectasis	4 days	E.B.M. Spoon	R.H. Negative

TABLE 33.—NEONATAL DEATHS (Deaths within 28 days either in the hospital or after transfer to another hospital but excluding those discharged healthy). (Continued)

B	31232	7lb 14oz	37	M	Assisted breech	Pre-eclampsia	White asphyxia	Tentorial tears	1 1/4 hrs	—	Twin pregnancy, 2nd twin
N	31302	2lb 4oz	28	M	Normal	Eclampsia	Cyanosis	Intra cranial hæmorrhages	2 days	—	Birth trauma
N	31923	2lb 4oz	29	F	Breech	Nil	Nil	Not done	1 1/2 hr	—	Prematurity
B	19564	3lb 2oz	32	M	Normal	Nil	Nil	Atelectasis	2 hrs	—	Prematurity
N	32255	3lb 9oz	33	M	Normal	Nil	Nil	Broncho pneumonia	9 days	E.B.M.	Prematurity
N	32117	3lb	32	M	Normal	Nil	Nil	Broncho pneumonia	5 1/2 days	—	Postnatal admission
B	32694	1lb 12oz	28	F	Normal	Threatened abortion—27th week	None	No abnormalities	36 hrs	Spoon	Prematurity
N	32830	2lb 7oz	30	M	Spontaneous breech	Hydramnios	Twin pregnancy	Intra cranial hæmorrhage	1 1/2 hr	—	2nd twin
N	32811	8lb	40	M	Normal	Hydramnios	Intestinal obstruction	Small intestine obstruction by band	5 days	E.B.M.	
N	32904	2lb 15oz	28	F	Normal	None	White asphyxia	Not done	4 hrs	—	Prematurity, postnatal admission
B	32725	3lb 5oz	37	M	Breech	A.P.H.	None	Not done	1 hr	—	Prematurity
B	33000	6lb 1oz	38	M	Breech	None	Congenital malformation	Congenital obstruction membranous urethra	29 days	Belcroy	Uremia, pyonephrosis
N	15252	2lb 8oz	28	M	Breech	A.P.H.	None	Atelectasis	8 hrs	—	Prematurity
B	13940	8lb 1oz	40	F	Normal	None	Volvulus small intestine	Thrombosis mesenteric veins	36 hrs	—	Intestinal obstruction
B	34068	7lb 2oz	40	F	Normal	None	Cyanosis	Torn tentorium	6 hrs	—	Birth injury
B	33979	7lb 13oz	40	F	Breech extended arms	None	None	Bilateral tentorial tears, Bilateral adrenal hæmorrhages	1 hr	—	Intra cranial hæmorrhage
B	21558	4lb 4oz	38	M	Breech	Twins	Prematurity	Staph. broncho-pneumonia	6 days	E.B.M.	Pneumonia
N	34655	4lb 5oz	34	F	Normal	A.P.H.	Oedema	Intra ventricular hæmorrhage	9 days	E.B.M.	Birth injury
B	19410	3lb 7oz	32	M	Normal	A.P.H.	Cyanosis, oedema	Bilateral intra ventricular hæmorrhage	7 days	E.B.M.	Intra cranial hæmorrhage
B	35247	5lb 6oz	38	M	Normal	None	Prematurity	Broncho pneumonia	5 days	Belcroy	Postnatal admission
N	35291	5lb	34	M	Breech	None	Prematurity	Atelectasis	19 hrs	—	
B	33873	2lb 4oz	28	M	Normal	A.P.H.	Prematurity	Atelectasis	5 hrs	—	
B	33871	6lb 7oz	37	M	Forceps	Eclampsia	Cerebral hæmorrhage	Cerebral oedema, tentorial tears	5 days	Belcroy	Cerebral oedema

TABLE 34.—PREMATURE LIVE-BORN INFANTS (Birth weight 5½lbs and under)

B or N	Reg. No.	Maturity	Birth weight	Sex	Cause of premature labour	Birth injury (if any)	Method of feeding	Weight on discharge	Day of discharge or death	Result	Remarks
B	29295	34	4lb	M	Unknown	None	Breast	4lb	16	A	
B	29327	36	4lb 13oz	M	Prem. rupture membranes	None	Breast 3 hourly and complement	4lb 8oz	11	A	
B	29203	35	4lb 3oz	F	Unknown	None	Bottle 3 hourly	4lb 5oz	25	A	P.P.H.
B	27920	40	1) — 2) 4lb 8oz	M	Twins	None	Breast 4 hourly	1) — 2) 4lb 11oz	12	A	Breech delivery
B	29589	36	4lb 15oz	F	Unknown	None	Breast 4 hourly	5lb	13	A	Breech delivery
B	9137	40	5lb	F	Unknown	None	Breast 4 hourly	5lb 3oz	12	A	Essential hypertension
B	29564	38	5lb 3oz	F	Unknown	None	Breast 4 hourly	5lb 4oz	13	A	Prolonged labour
B	27792	40	5lb	F	Unknown	None	Mixed 3 hourly	4lb 14oz	11	A	Toxæmia
B	3828	35	4lb 12oz	F	Unknown	None	Breast 4 hourly	5lb 2oz	13	A	Syphilis
N	29290	39	1) 5lb 6oz 2) 5lb 8oz	F	Twins	None	Breast 3 hourly and complement	1) 5lb 8oz 2) 5lb 14oz	11	A	
N	29696	32	5lb	M	Unknown	None	Breast 4 hourly	4lb 11oz	13	A	2) Breech
N	29935	36	2lb 12oz	F	Unknown	Intra ventricular hæmorrhage	—	—	16hrs	A	Took own discharge
N	29447	35	3lb 15oz	M	Surgical induction	Intra ventricular hæmorrhage	—	—	18hrs	D	Pre-eclampsia
B	30197	38	4lb 4oz	M	Unknown	None	Breast 3 hourly	4lb 8oz	13	A	
B	18099	30	2lb 12oz	M	A.P.H.	Intra dural hæmorrhage	—	—	7hrs	D	
B	7013	32	4lb 13oz	F	Unknown	None	Breast	4lb 13oz	13	A	Self discharged
B	7333	40	5lb 7oz	F	Unknown	None	Breast	5lb 13oz	9	A	Previous cesarean section
N	15924	33	3lb 5oz	M	Unknown	None	Breast	4lb	30	A	
N	29806	36	3lb 13oz	F	Unknown	None	E.B.M.	4lb 5oz	22	A	
N	29392	40	4lb 11oz	M	Pre-eclampsia	None	Breast	4lb 11oz	13	A	
N	16890	36	3lb 15 oz	F	Twin pregnancy	None	Breast	4lb 2oz	17	A	1st twin S.B. macerated
N	29805	35	4lb 5oz	M	Twin pregnancy	None	Bottle	5lb 1oz	31	A	1st twin S.B. macerated
B	11811	38	5lb 5oz	M	Twin pregnancy	None	Breast and complement	5lb 3oz	11	A	
N	30811	40	4lb 10oz	F	Unknown	None	Breast 3 hourly	5lb	10	A	
B	18577	32	3lb 7 oz	F	Unknown	Torn vein of Galen	—	—	1	D	Breech delivery
B	30744	38	5lb	M	Twins	None	Breast	5lb	14	A	2nd twin

TABLE 34.—PREMATURE LIVE-BORN INFANTS (Birth weight 5½lbs and under). (Continued)

B	30840	40	1) 5lb 3oz 2) 5lb 8oz	F	Twins	None	Breast	5lb 5oz	12	A	
B	30975	40	5lb 5oz	F	Unknown	None	Breast	5lb 10 oz		A	
N	30920	34	1) 3lb 7oz	M	Unknown	None	E.B.M., bottle Spoon	5lb 5oz	15	A	Postnatal admission
						Intra cranial haemorrhage		—	1	D	
						Aspiration liquor Amnii	Oesophageal tube	—	5	D	
N	30979	36	5lb 1oz	M	Twin pregnancy	None	Breast & complement	5lb 10z	11	A	P.P.H. 2nd twin
B	8995	32	3lb 8oz	F	Unknown	None	Breast & complement	3lb 13oz	28	A	Forceps
B	27569	37	5lb 2oz	M	Surgical induction	None	Breast 3 hourly	5lb 5oz	11	A	Essential hypertension
B	31069	38	5lb	M	Pre-eclampsia	None	Breast 3 hourly	5lb 10z	14	A	
B	28857	40	5lb 8 oz	F	Unknown	None	Breast 4 hourly	5lb 13oz	12	A	
N	31062	32	3lb 10oz	M	Eclampsia	None	Breast & complement	3lb 11oz	18	A	
B	23479	37	5lb 6oz	F	Unknown	None	Breast & complement	5lb 4oz	21	A	Postnatal admission
N	31082	32	4lb	M	Unknown	None	Bottle 3 hourly	4lb 6oz	28	A	Postnatal admission
B	28858	37	5lb 5oz	M	Surgical induction	None	Breast 3 hourly	5lb 6oz	20	A	Pre-eclampsia
B	16801	38	5lb 7oz	M	Pre-eclampsia	None	Breast 4 hourly	5lb 7 oz	11	A	Anæmia
N	31225	37	5lb 4oz	F	Surgical induction	None	Breast & complement	5lb 2oz	13	A	Pre-eclampsia, self discharged
B	21795	37	4lb 10 oz 4lb 13oz	M	Pre-eclampsia twins	None	Breast 4 hourly	4lb 10 oz 4lb 11oz	13	A	
B	31272	37	5lb 7oz	F	Unknown	None	Breast 3 hourly	5lb 5oz	13	A	
N	31302	28	2lb 4oz	M	Eclampsia surgical induction	Intra ventricular haemorrhage		—	2	D	
N	31923	29	2lb 4oz	F	Unknown	None		—	1	D	Breech delivery
B	19564	32	3lb 2oz	M	Unknown	None		—	1	D	
N	31151	37	3lb 13oz	F	Anæmia	None	Breast & complement	4lb 2oz	26	A	
B	31332	40	5lb 2oz	M	Pre-eclampsia	None	Breast 4 hourly	5lb 14oz	14	A	
N	31924	38	4lb 5oz	F	A.P.H.	None	Breast & complement	4lb 5oz	21	A	
N	32255	33	3lb 9oz	M	Unknown	None		—	9	D	
N	32117	32	3lb	M	Unknown	None		—	5	D	Postnatal admission
B	29731	34	4lb 14oz	M	Unknown	None	Breast & complement	4lb 15oz	22	A	Postnatal admission
B	32621	40	5lb 6oz	F	Unknown	None	Breast 4 hourly	5lb 8oz	14	A	
B	32694	28	1lb 12oz	F	Unknown	None		—	2	D	A.P.H.
N	32830	30	2lb 7oz	M	Hydramios twins	Intra cranial haemorrhage, breech		—	1	D	2nd twin
N	32904	28	2lb 15oz	F	Unknown	None		—	1	D	Postnatal admission
B	33004	38	5lb 4oz	M	Unknown	None	Breast & complement	4lb 14oz	14	A	Self discharged
N	32903	37	5lb 7oz	M	Unknown	None	Breast & complement	5lb 4oz	16	A	Cesarean section

TABLE 34.—PREMATURE LIVE-BORN INFANTS (Birth weight 5½lbs and under). (Continued)

N	32697	40	1) 5lb 2) 5lb 6oz	M	Unknown	None	Breast & complement	5lb 7oz	19	A	External version
N	22766	40	5lb 6oz	F	Unknown	None	Breast & complement	5lb 9oz	19	A	
N	32699	35	5lb 6oz	M	Surgical induction	None	Breast	5lb 9oz	12	A	
N	32216	38	5lb 6oz	M	Surgical induction	None	Breast & complement	5lb 3oz	27	A	Essential hypertension
B	32725	37	5lb 5oz	F	Unknown	None	Bottle	5lb 8oz	21	A	Pyelitis
N	33134	37	3lb 5oz	M	A.P.H.	None	None	—	1	D	Breech
N	32836	37	5lb 8oz	F	Unknown	None	Breast & complement	5lb 6oz	12	A	
N	32241	35	4lb 3oz	F	A.P.H.	None	Breast & complement	4lb 5oz	33	A	Prolonged labour
B	15252	40	5lb 7oz	M	Unknown	None	Breast & complement	5lb 10oz	13	A	Forceps
N	33530	28	2lb 8oz	M	A.P.H.	None	None	—	8hrs	D	Breech
N	33678	40	5lb 7oz	M	Unknown	None	Breast 4 hourly	5lb 11oz	13	A	Forceps
N	10343	38	5lb 2oz	F	Unknown	None	Breast 4 hourly	5lb 2oz	12	A	
N	33884	39	4lb	M	Unknown	None	Breast & complement	4lb 1oz	17	A	
B	16715	40	5lb 8oz	F	Unknown	None	Breast & complement	5lb 10 oz	13	A	Self discharged
N	33748	32	3lb 9oz	M	A.P.H.	None	Breast 3 hourly	3lb 7 oz	19	A	Ophthalmia
N	9972	35	5lb	F	Unknown	None	Breast & complement	5lb 8oz	27	A	Self discharged
B	24800	37	5lb 2oz	M	Unknown	None	Breast & complement	5lb 4oz	14	A	Breech
N	32388	32	3lb 14oz	M	A.P.H.	None	Bottle	4lb 7oz	22	A	Morbid
B	21558	38	5lb 2oz	F	A.P.H.	None	Breast	5lb 10oz	14	A	
B		38	1) 3lb 8oz 2) 4lb 4oz	M	Twins	None	E.B.M.	5lb 2oz	28	A	
N	34071	30	3lb 1oz	F	Unknown	None	Breast 3 hourly	4lb 8oz	6	D	Internal version
N	34655	34	4lb 5oz	F	A.P.H.	Intra ventricular hæmorrhage	E.B.M. Bottle	3lb 15oz	33	A	Ophthalmia
N	34560	37	3lb 15oz	M	Unknown	None	Breast 4 hourly	4lb 9oz	25	A	P.P.H.
N	3826	40	5lb 6oz	M	Unknown	None	Breast & complement	5lb 9oz	12	A	Morbid
B	29850	34	1) 3lb 15oz 2) 2lb 6½oz 3) 3lb 4oz	F	Multiple pregnancy	None	3 hourly	8lb 7oz	85	A	
B	19410	32	3lb 7oz	M	A.P.H.	None	Bottle	5lb 3oz	85	A	
						None	Bottle	7lb 8oz	85	A	
						Intra ventricular hæmorrhage	E.B.M.	—	7	D	
N	34556	40	5lb 4oz	F	Unknown	None	Bottle 3 hourly	5lb 5oz	14	A	Pre-eclampsia
B	34815	38	5lb	M	Unknown	None	Breast	5lb 8oz	13	A	
B	35106	37	5lb 6oz	F	Unknown	None	Breast 4 hourly	5lb 7oz	12	A	Postnatal admission
N	34416	34	3lb	M	Pre-eclampsia	None	Breast & complement	4lb 3oz	32	A	Surgical induction
B	35247	38	5lb 6oz	M	Unknown	None	Belcroy	—	5	D	
N	35291	34	5lb	M	Unknown	None	—	—	19hrs	D	Atelectasis
B	33873	28	2lb 4oz	M	A.P.H.	None	—	—	5hrs	D	Postnatal admission

TABLE 35.—CONGENITAL MALFORMATIONS

B or N	Reg. No.	Nature of malformation	Birth weight	Sex	Result	Incurrent maternal diseases	Remarks
N	29390	Supernumerary fingers	7lb 10z	M	A	Ischio rectal abscess	Removal
N	30117	Mesenteric hiatus	5lb 100z	M	D	Unknown	Volvulus of intestine
B	5335	Cleft palate and hare lip	7lb 50z	M	T	None	
B	23224	Spina bifida	7lb	M	A	None	Inoperable
B	28758	Diaphragmatic hernia. Hypoplasia left lung. Common mesentery	8lb 120z	F	D	Unknown	
B	29578	Cardiac	6lb 10z	M	A	Pulmonary T.B.	
B	28988	Hypospadias, absent finger nail 5th finger, left hand	6lb 50z	M	A	None	
B	31270	Anencephaly	2lb 70z	F	S.B.	Unknown	Spontaneous face delivery
B	22186	Cardiac	6lb 130z	M	A	Unknown	
B	32188	Right kidney absent Left kidney rudimentary	5lb 120z	M	S.B.	Unknown	
B	31929	Pes equino varus	9lb 30z	M	A	Unknown	
N	32811	Pinhole urinary meatus Mesenteric band	8lb	M	D	None	Intestinal obstruction hydramnios
N	33008	Cleft palate	7lb 70z	M	T	None	A.P.H., breech
B	33000	Obstruction membranous urethra	6lb 10z	M	D	None	Pyonephrosis, supra-pubic cystotomy, died 29th day
N	33397	Absence of eyes and nose malformation of skull	4lb	M	S.B.	None	
B	13535	Bilateral club feet	7lb 110z	M	A	None	
B	33750	Talipes equino varus	7lb 40z	F	A	None	
N	33219	Osteo genesis imperfecta Multiple intra uterine fractures	7lb	M	A	None	
B	34090	Hydrocephalus	8lb 100z	F	S.B.	None	Craniotomy
B	34197	Spina bifida, hydrocephalus	5lb	F	S.B.	None	Breech
N	35071	Anencephaly	6lb 20z	F	S.B.	None	Surgical induction

TABLE 36.—BIRTH TRAUMA

B or N	Reg. No.	Maturity	Birth weight	Sex	Type of injury	Method of delivery	Cause of injury	Result	Remarks
N	29366	40	7lb 11oz	F	Intra cranial hæmorrhage	Forceps	—	S.B.	
B	27568	36	5lb 13oz	M	Intra cranial hæmorrhage	Normal	—	D	
N	29935	36	2lb 12oz	F	Intra ventricular hæmorrhage	Normal	—	D	Pre-eclampsia
N	29447	35	3lb 15oz	M	Intra ventricular hæmorrhage	Normal	—	D	Pre-eclampsia
B	28185	40	8lb	M	Fracture occipital bone	Normal	Unknown	A	
N	30810	40	7lb 8oz	M	Intra cranial hæmorrhage	Normal	Failed forceps	D	
B	18577	32	3lb 7oz	F	Intra cranial hæmorrhage	Breech	—	D	Old poliomyelitis
B	28992	40	9lb 3oz	F	Erb's palsy	Forceps	—	A	Hydramnios
B	31186	40	5lb 12oz	F	Pulmonary emphysema	Normal	Oxygen via intra nasal catheter	D	
N	31302	28	2lb 4oz	M	Ruptured stomach	Normal	—	D	Eclampsia
N	31335	40	10lb 7oz	M	Intra ventricular hæmorrhage	Forceps	Excessive head moulding	S.B.	
B	33006	40	8lb 5oz	M	Tentorial tears	Forceps	Forceps	S.B.	
B	34068	40	7lb 2oz	F	Intra cranial	Normal	Tentorial tear	D	
N	34181	40	11lb 8oz	F	Intra cranial	Forceps	Tentorial tear	S.B.	
B	33979	40	7lb 13oz	F	Intra cranial hæmorrhage	Breech	Tentorial tear	D	

TABLE 37.—NEONATAL INFECTIONS

B or N	Reg. No.	Maturity	Birth weight	Sex	Type of infection	Source of infection	Predominant casual organism	Treatment	Result	Remarks
B	29374	40	7lb 13oz	M	Ophthalmia neonatorum	Unknown	Staph. albus	Penicillin drops	A	
B	16109	40	8lb 10oz	F	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
B	29369	40	7lb 6oz	M	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
B	18438	40	8lb 15oz	F	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
N	29446	38	5lb 9oz	M	Ophthalmia neonatorum	Unknown	Unknown	Penicillin drops	A	Self discharged
N	29560	40	7lb $\frac{1}{2}$ oz	F	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
B	11600	40	6lb 1oz	M	Pneumonia	Unknown	Unknown	Chemotherapy	D	
B	27022	36	9lb 2oz	M	Paronychia	Unknown	Unknown	Spirit dressings	A	
B	29568	40	8lb 1oz	M	Ophthalmia	Unknown	Unknown	Penicillin	A	
B	29807	39	7lb 9oz	M	Ophthalmia	Unknown	Unknown	Penicillin	A	
N	29736	40	7lb	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	Postnatal admission
B	30011	40	7lb 5oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	Postnatal admission
B	30196	40	6lb 14oz	F	Ophthalmia	Unknown	Staph. albus	Penicillin	A	
B	30116	40	8lb 14oz	F	Breast abscess	Unknown	Staph. aureus	Penicillin aspiration	A	
B	30009	40	8lb 7oz	M	Staph. Cellulitis	Unknown	Staph. aureus	Penicillin	D	Terminal septicæmia and broncho pneumonia
B	24619	40	7lb 4oz	M	Skin	Unknown	Staph. aureus	Penicillin I.M.	A	
B	30425	41	6lb 4oz	F	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
B	17979	40	6lb 5oz	M	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
B	30190	41	8lb 5oz	F	Nasal discharge	Unknown	Staph. aureus	Penicillin drops	A	
N	30499	40	6lb 11oz	F	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
N	14447	39	7lb 5oz	F	Mastitis	Unknown	Staph. aureus	Penicillin I.M. aspiration	A	Twin pregnancy
N	30092	40	6lb 9oz	F	Ophthalmia	Unknown	Staph. albus	Penicillin drops	A	

TABLE 37.—NEONATAL INFECTIONS (Continued)

B	30712	40	8lb 12oz	F	Axillary abscess	Unknown	Staph. aureus	Incision	A	
B	30808	40	7lb	F	Ophthalmia neonatorum	Unknown	Staph. albus	Penicillin I.M.	A	
B	27704	40	7lb 7oz	F	Ophthalmia neonatorum	Unknown	Staph. aureus	Penicillin drops	A	
B	30978	40	6lb 6oz	F	Skin	Unknown	Staph. albus	Penicillin	A	Breech
B	28512	40	6lb 15oz	F	Ophthalmia	Unknown	Staph. albus	Spirit	A	
								Penicillin eye drops	A	
B	27567	37	5lb 2oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	28989	40	7lb 12oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
N	31105	40	8lb	F	Ophthalmia	Unknown	Unknown	Penicillin	A	Deep transverse arrest forceps
N	31148	40	8lb 2oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	23479	37	5lb 6oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	31071	40	8lb 7oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	Postnatal admission
B	30962	37	8lb 14oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	Pre-eclampsia
B	28412	40	7lb 4oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	Diabetes
B	28635	40	6lb 9oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	29986	40	7lb 6oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	31294	40	8lb 11oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	29732	40	8lb 5oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	31293	40	7lb 11oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	31060	40	8lb 11oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	28299	40	7lb	M	Paronychia	Unknown	Staph. aureus	Penicillin	A	
B	31267	40	6lb	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	29218	40	8lb 13oz	M	Skin sepsis	Unknown	Unknown	Penicillin	A	
B	32115	36	6lb 1oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	32254	40	7lb 9oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	32253	40	8lb 1oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
N	31924	38	4lb 5oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	32595	40	7lb 7oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin I.M.	A	
B	32545	40	9lb 3oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	30732	40	8lb	F	Ophthalmia	Unknown	Staph. albus	Penicillin drops	A	P.P.H.
B	32612	40	7lb 10 oz	F	Axillary boil	Unknown	Staph. aureus	Incision	A	

TABLE 37.—NEONATAL INFECTIONS (Continued)

B	5643	40	6lb 12oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	Postnatal admission
B	25526	40	7lb 14oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	29479	40	8lb 4oz	M	Axillary abscess	Unknown	Staph. aureus	Incision and Penicillin	A	
B	30476	40	6lb	M	Skin infection	Unknown	Staph. aureus	Sulphatriad	A	
B	33058	40	7lb 2oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	Ovarian dermoid
B	33495	40	7lb	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	33389	40	8lb 15oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	33545	39	7lb 1oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	31154	40	8lb 8oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	33884	40	5lb 8oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	32105	28	6lb 11oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	33383	40	7lb 7oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	33727	40	7lb 13oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	30735	38	7lb 7oz	F	Ophthalmia	Unknown	Staph. albus	Penicillin drops	A	
B	34092	40	7lb 1oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	34150	40	6lb	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	34182	40	7lb 4oz	M	Ophthalmia	Unknown	Staphylococcus	Penicillin drops	A	
N	34071	28	3lb 1oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	31198	40	7lb 3oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	
B	34093	40	9lb 3oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	Postnatal admission
B	31192	40	9lb 2oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	Cæsarean section
N	34316	40	9lb 3oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin drops	A	A.P.H.
N	34810	40	7lb 11oz	M	Axillary abscess	Unknown	Staph. albus	Incision	A	Failed forceps
B	32838	40	6lb 15oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	34818	40	7lb 14oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	35065	40	7lb 15oz	F	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	
B	33379	40	7lb 4oz	F	Mastitis	Unknown	Unknown	Penicillin	A	
N	34295	40	7lb 7oz	F	Ophthalmia	Unknown	Staph. aureus	incision	A	Pre-eclampsia
B	34285	40	7lb 3oz	M	Ophthalmia	Unknown	Staph. aureus	Penicillin	A	External version

TABLE 38.—OTHER NEONATAL DISEASES

B or N	Reg. No.	Maturity	Birth weight	Sex	Type of disease	Maternal complication	Method of delivery	Treatment	Result	Remarks
B	30193	37	6lb 2oz	F	Erythroblastosis foetalis	Nil	Normal	Cord transfusion 100 c.c. concentrated cells. 14th day. 110 cc. concentrated cells	A	Surgical induction
N	31185	40	7lb 4oz	M	Erythroblastosis foetalis	Nil	Normal	Transfusion 70 cc. concentrated cells	D	Postnatal admission
B	18280	39	6lb 4oz	M	Icterus gravis	Nil	Normal	Blood transfusion repeated twice	A	Transfusion with first delivery—3rd baby
B	32239	39	7lb 10oz	M	Erythroblastosis foetalis	Nil	Normal	Replacement transfusion	A	Maternal serum titre 1/32
N	34999	40	8lb 4oz	F	Erythroblastosis	Nil	Normal	Transfusion 90 c.c. packed cells	A	Postnatal admission

